

8 References

- Abramowicz, D. A., 1990. Aerobic and anaerobic biodegradation of PCBs: A review. *Biotechnology*. 10(3):241–251.
- AEHS, 2000. Peer Review Panel Report for the Fox River Human and Ecological Risk Assessments. Prepared by The Association for Environmental Health and Sciences, Amherst, Massachusetts; for the Fox River Group. June 28.
- Ahlborg, U. G., G. C. Becking, L. S. Birnbaum, A. Brouwer, H. J. G. M. Derks, M. Feeley, G. Golor, A. Hanberg, J. C. Larsen, A. K. D. Liem, S. H. Safe, C. Schlatter, F. Waern, M. Younes, and E. Yrjänheikki, 1994. Toxic equivalency factors for dioxin-like PCBs. *Chemosphere*. 28(6):1049–1067.
- Albert, D. A., 2000. Personal communication to Anne Fitzpatrick, ThermoRetec, Seattle, Washington regarding the size of viable wetlands studied by Michigan Natural Features Inventory. January 25.
- Alexander, G. R., 1977. Food of vertebrate predators on trout waters in north central lower Michigan. *The Michigan Academician*. 10:181–195.
- Amhrein, J., C. Stow, and C. Wible, 1999. Whole fish versus fillet polychlorinated biphenyl concentrations: An analysis using classification and regression tree models. *Environmental Toxicology and Chemistry*. 18(8):1817–1823.
- Amundson, D. S., 1984. *Organochlorine Pesticides and PCBs in Edible Tissues of Giant Canada Geese from the Chicago Area*. University of Illinois, Chicago, Illinois.
- Anderson, H. A., J. F. Amhrein, P. Shubat, and J. Hesse, 1993. *Protocol for a Uniform Great Lakes Sport Fish Consumption Advisory*. Great Lakes Fish Advisory Task Force Protocol Drafting Committee. September.
- Anderson, H. A., C. Falk, L. Hanrahan, J. Olson, V. W. Burse, L. Needham, D. Paschal, D. Patterson Jr., and R. H. Hill Jr., 1998. Profiles of Great Lakes critical pollutants: A sentinel analysis of human blood and urine. The Great Lakes Consortium. *Environmental Health Perspectives*. 106(5):279–89.
- Anderson, D. W. and J. J. Hickey, 1972. Eggshell changes in certain North American birds. *Proc. Int. Ornith. Con.* 15:514–540.

- Ankley, G. T., 1996. Evaluation of metal/acid-volatile sulfide relationships in the prediction of metal bioaccumulation by benthic macroinvertebrates. *Environmental Toxicology and Chemistry*. 15(12):2138–2146.
- Ankley, G. T., D. Tillitt, and J. Giesy, 1989. Maternal transfer of bioactive polychlorinated aromatic hydrocarbons in spawning chinook salmon (*Oncorhynchus tshawytscha*). *Marine Environmental Research*. 28:231–234.
- Ankley, G. T., A. Katko, and J. W. Arthur, 1990. Identification of ammonia as an important sediment-associated toxicant in the Lower Fox River and Green Bay, Wisconsin. *Environmental Toxicology and Chemistry*. 9:313–322.
- Ankley, G. T., D. T. Tillitt, J. P. Giesy, P. D. Jones, and D. A. Verbrugge, 1991. Bioassay-derived 2,3,7,8-tetrachlorodibenzo-p-dioxin equivalents in PCB-containing extracts from the flesh and eggs of Lake Michigan chinook salmon (*Oncorhynchus tshawytscha*) and possible implications for reproduction. *Canadian Journal of Fisheries and Aquatic Sciences*. 48:1685–1690.
- Ankley, G. T., K. Lodge, D. Call, M. D. Balcer, L. T. Brooke, P. M. Cook, R. G. Kreis, A. R. Carlson, R. D. Johnson, G. J. Niemi, R. A. Hoke, C. W. West, J. P. Giesy, P. D. Jones, and Z. C. Fuying, 1992. Integrated assessment of contaminated sediments in the Lower Fox River and Green Bay, Wisconsin. *Ecotoxicology and Environmental Safety*. 23:46–63.
- Ankley, G. T., G. J. Niemi, K. B. Lodge, H. J. Harris, D. L. Beaver, D. E. Tillitt, T. R. Schwartz, J. P. Giesy, P. D. Jones, and C. Hagley, 1993. Uptake of planar polychlorinated biphenyls and 2,3,7,8-substituted polychlorinated dibenzofurans and dibenzo-p-dioxins by birds nesting in the Lower Fox River and Green Bay, Wisconsin, USA. *Archives of Environmental Contamination and Toxicology*. 24(3):332–344.
- Ankley and Hickey, 1972. Identification of ammonia as an important sediment-associated toxicant in the Lower Fox River and Green Bay, Wisconsin. *Environmental Toxicology and Chemistry*. 9:313–322.
- Armstrong, F. A., 1979. Effects of mercury compounds on fish. In: *The Biogeochemistry of Mercury in the Environment*. J. O. Nriagu (Ed.) Elsevier/North Holland Biomedical Press, New York, New York.

- Arnold, D. L., F. Bryce, K. Karpinski, J. Mess, S. Fernie, H. Tryphonas, J. Truelove, P. F. McGuire, D. Burns, J. R. Tanner, R. Stapley, Z. Z. Zawidzka, and D. Basford, 1993a. Toxicological consequences of Aroclor 1254 ingestion by female rhesus (*Macaca mulatta*) monkeys, Part 1A: Prebreeding phase - clinical health findings. *Food Chem. Tox.* 31:799–810.
- Arnold, D. L., F. Bryce, K. Karpinski, J. Mess, S. Fernie, H. Tryphonas, J. Truelove, P. F. McGuire, D. Burns, J. R. Tanner, R. Stapley, Z. Z. Zawidzka, and D. Basford, 1993b. Toxicological consequences of Aroclor 1254 ingestion by female rhesus (*Macaca mulatta*) monkeys, Part 1B: Prebreeding phase - clinical and analytical laboratory findings. *Food Chem. Tox.* 31:811–824.
- ATSDR, 1997. *Toxicological Profile for Polychlorinated Biphenyls (Update)*. United States Department of Health and Human Services. 427 p.
- ATSDR, 1998a. Agency for Toxic Substances and Diseases Registry (Aldrin and Dieldrin, 1989). Website: <http://atsdr1.atsdr.cdc.gov:8080/ToxProfiles/phs8801.html>.
- ATSDR, 1998b. Minimum Risk Levels (MRLs) for Hazardous Substances. Website: <http://atsdr.cdc.gov/mrls.html>.
- ATSDR, 1998c. *Toxicological Profile for Chlorinated Dibenzo-p-dioxins*. Draft Report. Division of Toxicology, Atlanta, Georgia. February.
- ATSDR and EPA, 1999. *Public Health Implications of Exposure to Polychlorinated Biphenyls (PCBs)*. Article by B. Johnson, H. E. Hicks, W. Cibulas, O. Faroon, A. E. Ashizawa, C. T. De Rosa, V. J. Coglian, and M. Clark of the Agency for Toxic Substances and Disease Registry or the Environmental Protection Agency. Accepted for publication in *Toxicology and Industrial Health*.
- Aulerich, R. J., R. K. Ringer, H. L. Seagrin, and W. G. Youatt, 1971. Effects of feeding coho salmon and other Great Lakes fish on mink reproduction. *Canadian Journal of Zoology*. 49:611–616.
- Aulerich, R. J., R. K. Ringer, and S. Iwamoto, 1973. Reproductive failure and mortality in mink fed on Great Lakes fish. *J. Reprod. Fert. Suppl.* 19:365–376.
- Aulerich, R. J., R. K. Ringer, and S. Iwamoto, 1974. Effects of dietary mercury on mink. *Archives of Environmental Contamination*. 2(1):43–51.

- Aulerich, R. J., R. K. Ringer, and J. Safronoff, 1986. Assessment of primary vs. secondary toxicity of Aroclor 1254 to mink. *Archives of Environmental Contamination and Toxicology*. 15:393–399.
- Aulerich, R. J. and R. K. Ringer, 1970. Some effects of chlorinated hydrocarbon pesticides on mink. *American Fur Breeder*. 46:10–11.
- Aulerich, R. J. and R. K. Ringer, 1977. Current status of PCB toxicity to mink, and effect on their reproduction. *Archives of Environmental Contamination and Toxicology*. 6(2–3):279–292.
- Aulerich, R. J. and R. K. Ringer, 1980. *Toxicity of the Polychlorinated Biphenyl Aroclor 1016 to Mink*. Report No. 600/3-80-033. United States Environmental Protection Agency, Duluth, Minnesota.
- Bahn, A. K., I. Rosenwaike, N. Herrmann, P. Grover, J. Stellman, and K. O’Leary, 1976. Melanoma after exposure to PCBs. *New England Journal of Medicine*. 295:450.
- Bandiera, S., K. Farrell, G. Mason, M. Kelley, M. Romkes, R. Bannister, and S. Safe, 1984. Comparative toxicities of the polychlorinated dibenzofuran (PCDG) and biphenyl (PCB) mixtures which persist in Yusho victims. *Chemosphere*. 13:507–512.
- Barr, J. F., 1986. *Population Dynamics of the Common Loon (Gavia immer) Associated with Mercury-contaminated Waters in Northwestern Ontario*. Canadian Wildlife Services.
- Barron, M. G., M. Anderson, D. Beltman, T. Podrabsky, W. Walsh, D. Cacela, J. Lipton, W. J. The, D. E. Hinton, J. T. Zelikoff, A. L. Dikkeboom, B. A. Lasee, S. K. Woolley, D. E. Tillitt, M. Holey, P. Bouchard, and N. Denslow, 1999. *Association Between PCBs, Liver Lesions, and Biomarker Responses in Adult Walleye (Stizostedium vitreum vitreum) Collected from Green Bay, Wisconsin*. April 13.
- Barrows, M. E., S. R. Petrocelli, K. J. Macek, and J. J. Carroll, 1980. Bioconcentration and elimination of selected water pollutants by bluegill sunfish (*Lepomis macrochirus*). In: *Dynamics, Exposure and Hazard Assessment of Toxic Chemicals*. R. Haque (Ed.) Ann Arbor Science Publishers, Inc., Ann Arbor, Michigan. p. 379–392.

- Barsotti, D. A. and J. P. Van Miller, 1984. Accumulation of a commercial polychlorinated biphenyl mixture (Aroclor 1016) in adult rhesus monkeys and their nursing infants. *Toxicology*. 30:31–44.
- Bartell, S. M., R. H. Gardner, and R. V. O'Neill, 1992. *Ecological Risk Estimation*. Lewis Publishers, Chelsea, Michigan.
- Baumann, T., 2000. Personal communication from the Director of the Bay Beach Wildlife Sanctuary regarding Bay Beach Wildlife Sanctuary. March 7.
- Beck, D. R. M., 1995. Return to Nama'o Uskiwamit: The importance of sturgeon in Menominee Indian history. *Wisconsin Magazine of History*. Autumn 1995:32–48.
- Becker, G. C., 1983. *Fishes of Wisconsin: Trout, Herring, Perch, Minnow, Carp*. The University of Wisconsin Press, Madison, Wisconsin.
- Bellinger, D. C., A. Leviton, C. Waternaux, H. Needleman, and M. Rabinowitz, 1987. Longitudinal analyses of prenatal and postnatal lead exposure and early cognitive development. *New England Journal of Medicine*. 316:1037–1043.
- Belonger, B., 2000. Personal communication from Wisconsin Department of Natural Resources regarding the fish of west shores of Green Bay and the rate at which walleye and yellow perch fish reach maturity. January 13.
- Benignus, V. A., D. A. Otto, K. E. Muller, and K. J. Seiple, 1981. Effects of age and body lead burden on CNS function in young children, II: EEG spectra. *Electroencephalograph. Clin. Neurophysiol.* 52:240–248.
- Berlin, W. H., R. J. Hesselberg, and M. J. Mac, 1981. *Growth and Mortality of Fry of Lake Michigan Lake Trout During Chronic Exposure to PCBs and DDE*. Technical Paper #105. United States Fish and Wildlife Service.
- Bertelsen, S. L., A. D. Hoffman, C. A. Gallinat, C. M. Elonen, and J. W. Nichols, 1998. Evaluation of log K_{ow} and tissue lipid content as predictors of chemical partitioning to fish tissues. *Environmental Toxicology and Chemistry*. 17(8):1447–1455.
- Best, D. A., W. W. Bowerman, T. J. Kubiak, S. R. Winterstein, S. Postupalsky, M. C. Shieldcastle, and J. P. Giesy, 1993. Reproductive impairment of bald eagles along the Great Lakes shoreline of Michigan and Ohio. *Proceedings of the IV World Conference on Birds of Prey and Owls*. Berlin, Germany.

- Betts, P. R., R. Astley, and R. N. Raine, 1973. Lead intoxication in children in Birmingham. *British Medical Journal*. 1:402–406.
- Bevelhimer, M. S., J. J. Beauchamp, B. E. Sample, and G. R. Southworth, 1997. *Estimation of Whole-Fish Contaminant Concentrations from Fish Fillet Data*. ES/ER/TM-202. Oak Ridge National Laboratory, Risk Assessment Program, Oak Ridge, Tennessee. February.
- Beyer, W. N., G. H. Heinz, and A. W. Redmon-Norwood, 1996. *Environmental Contaminants in Wildlife—Interpreting Tissue Concentrations*. SETAC Special Publications Series. CRC Press, Inc.
- Bierman Jr., Victor J., 1990. Equilibrium partitioning and biomagnification of organic chemicals in benthic animals. *Environmental Science & Technology*. 24(9):1407–1412.
- Bird, D. M., P. H. Tucker, G. A. Fox, and P. C. Lague, 1983. Synergistic effects of Aroclor 1254 and mirex on the semen characteristics of American kestrels. *Archives of Environmental Contamination and Toxicology*. 12:633–640.
- Birge, W. J., 1979. The effect of mercury on reproduction of fish and amphibians. In: *The Biogeochemistry of Mercury in the Environment*. J. O. Nriagu (Ed.) Elsevier/North-Holland Biomedical Press, New York, New York. p. 629–655.
- Birge, W. J., J. A. Black, and B. Ramey, 1981. The reproductive toxicology of aquatic contaminants. In: *Hazard Assessment of Chemicals: Current Developments, Vol. 1*. J. Sexena and F. Fisher (Eds.) Academic Press, New York. p. 59–115.
- Birnbaum, L. S., 1994. Endocrine effects of prenatal exposure to PCBs, dioxins, and other xenobiotics: Implications for policy and future research. *Environmental Health Perspectives*. 102(8):676–679.
- Birnbaum, L. S. and M. J. DeVito, 1995. Use of toxic equivalency factors for risk assessment for dioxins and related compounds. *Toxicology*. 105(2–3):391–401.
- Bishop, C. A., M. D. Koster, A. A. Chek, D. J. T. Hussell, and K. Jock, 1995. Chlorinated hydrocarbons and mercury in sediments, red-winged blackbirds (*Agelaius phoeniceus*) and tree swallows (*Tachycineta bicolor*) from wetlands in the Great Lakes-St. Lawrence River Basin. *Environmental Toxicology and Chemistry*. 14(3):491–501.

- Björnberg, A., 1988. A theory on the mechanisms regulating the bioavailability of mercury in natural waters. *Environmental Pollution*. 49:53–61.
- Bleavins, M. R., R. J. Aulerich, and R. K. Ringer, 1980. Polychlorinated biphenyls (Aroclors 1016 and 1242): Effects on survival and reproduction in mink and ferrets. *Archives of Environmental Contamination and Toxicology*. 9(5):627–635.
- Blus, L. J., 1996. Chapter 2: DDT, DDD, and DDE in birds. In: *Environmental Contaminants in Wildlife*. W. N. Beyer (Ed.) Lewis Publishers, Boca Raton, Florida. p. 49–71.
- Boening, D. W., 1998. Toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin to several ecological receptor groups: A short review. *Ecotoxicology and Environmental Safety*. 39(3):155–163.
- Boese, B. L. and H. Lee, 1992. *Synthesis of Methods to Predict Bioaccumulation of Sediment Pollutants*. ERL-Contribution No. N232. United States Environmental Protection Agency, Environmental Research Laboratory-Narragansett, Narragansett, Rhode Island.
- Boily, M. H., L. Champoux, D. H. Bourbonnais, J. L. Desgranges, J. Rodrigue, and P. A. Spear, 1994. Beta-carotene and retinoids in eggs of great blue herons (*Ardea herodias*) in relation to St. Lawrence River contamination. *So. Ecotoxicology*. 3(4):271–286.
- Borg, K., H. Wanntorp, K. Erne, and E. Hando, 1969. Alkyl mercury poisoning in Swedish wildlife. *Viltrevy (Stockh.)*. 6:301–379.
- Borg, K., K. Erne, E. Hando, and H. Wanntorp, 1970. Experimental secondary methyl mercury poisoning in the goshawk (*Accipiter g. Gentilis l.*). *Environmental Pollution*. 1:91–104.
- Bosveld, A. T. C. and M. Van Den Berg, 1994. Effects of polychlorinated biphenyls, dibenzo-p-dioxins, and dibenzofurans on fish-eating birds. *So. Environmental Reviews*. 2(2):147–166.
- Boudou, A., 1991. Fundamental roles of biological barriers in mercury accumulation and transfer in freshwater ecosystems. *Water, Air, and Soil Pollution*. 56:807–821.

- Bove, F. J., B. A. Slade, and R. A. Canady, 1999. Letters to the editor: Evidence of excess cancer mortality in a cohort of workers exposed to polychlorinated biphenyls. *Journal of Occupational and Environmental Medicine*. 41(9):739–740.
- Bowerman, W. W., 1993. Regulation of bald eagles (*Haliaeetus leucocephalus*) productivity in the Great Lakes basin: An ecological and toxicological approach. *Philosophy*. Michigan State University.
- Bowerman, W. W., J. P. Giesy, D. A. Best, and V. J. Kramer, 1995. A review of factors affecting productivity of bald eagles in the Great Lakes region: Implications for recovery. *Environmental Health Perspectives*. 103(4):51–59. May.
- Bowers, T. S., B. D. Beck, and H. S. Karam, 1994. Assessing the relationship between environmental lead concentrations and adult blood lead levels. *Risk Analysis*. 14(2):183–189.
- Brandt, S., D. Mason, D. MacNeill, T. Coates, and J. Gannon, 1987. Predation by alewives on larvae of yellow perch in Lake Ontario. *Transactions of the American Fisheries Society*. 116:641–645.
- Brandt, S. B. and S. Madon, 1986. Rainbow smelt (*Osmerus mordax*) predation on slimy sculpin (*Cottus cognatus*) in Lake Ontario. *Journal of Great Lakes Research*. 12(4):322–325.
- Brandt, S. B. and J. J. Magnuson, 1980. Thermal habitat partitioning by fishes in Lake Michigan. *Canadian Journal of Fisheries and Aquatic Sciences*. 37:1557–1564.
- Brazner, J. C., 1997. Regional, habitat, and human development influences on coastal wetland and beach fish assemblages in Green Bay, Lake Michigan. *Journal of Great Lakes Research*. 23(1):36–51.
- Brazner, J. C. and E. W. Beals, 1997. Patterns in fish assemblages from coastal wetland and beach habitats in Green Bay, Lake Michigan: A multivariate analysis of abiotic and biotic forcing factors. *Canadian Journal of Fisheries and Aquatic Sciences*. 54:1743–1761.
- Brazner, J. and W. DeVita, 1998. PCBs, DDE, and mercury in young-of-the-year littoral fishes from Green Bay, Lake Michigan. *Journal of Great Lakes Research*. 24(1):83–92.

- Brazner, J. C. and J. J. Magnuson, 1994. Patterns of fish species richness and abundance in coastal marshes and other nearshore habitats in Green Bay, Lake Michigan. *Verh. Internat. Verein. Limnol.* 25:2098–2104.
- Brown, D. P., 1987. Mortality of workers exposed to polychlorinated biphenyls - An update. *Archives of Environmental Health.* 42(6):333–339.
- Brown, C. C. and K. C. Chu, 1983. Implications of the multistage theory of carcinogenesis applied to occupational arsenic exposure. *Journal of the National Cancer Institute.* 70:455–463.
- Brown Jr., J. F., and R. E. Wagner, 1990. PCB movement, dechlorination, and detoxication in the Acushnet Estuary. *Environmental Toxicology and Chemistry.* 9:1215–1233.
- Brown County Planning Commission, 1990. *The Fox River Corridor Land Use Map.*
- Bruggeman, W. A., L. B. J. M. Martron, D. Kooiman, and O. Hutzinger, 1981. Accumulation and elimination kinetics of di-, tri-, and tetrachlorobiphenyls by goldfish after dietary aqueous exposure. *Chemosphere.* 10(8):811–832.
- Brunner, M. J., T. M. Sullivan, A. W. Singer, M. J. Ryan, J. D. Toft II, R. S. Menton, S. W. Graves, and A. C. Peters, 1996. *An Assessment of the Chronic Toxicity and Oncogenicity of Aroclor-1016, Aroclor-1242, Aroclor-1254, and Aroclor-1260 Administered in Diet to Rats.* Study No. SC920192. Battelle, Columbus, Ohio.
- Buchmann, A., W. Kunz, C. R. Wolf, F. Oesch, and L. W. Robertson, 1986. Polychlorinated biphenyls, classified as either phenobarbital- or 3-methylcholanthrene-type inducers of cytochrome P-450, are both hepatic tumor promoters in diethylnitrosamine-initiated rats. *Cancer Letters.* 32(3):243–53.
- Buchmann, A., S. Ziegler, A. Wolf, L. W. Robertson, S. K. Durham, and M. Schwarz, 1991. Effects of polychlorinated biphenyls in rat liver: Correlation between primary subcellular effects and promoting activity. *Toxicology and Applied Pharmacology.* 111(454–468).
- Buck, G. M., P. Mendola, J. E. Vena, L. E. Sever, P. Kostyniak, H. Greizerstein, J. Olson, and F. D. Stephen, 1999. Paternal Lake Ontario fish consumption and risk of conception delay, New York State angler cohort. *Environmental Research.* 80(2 PART 2):S13–S18.

- Burdick, G., E. Harris, H. Dean, T. Walker, J. Skea, and D. Colby, 1964. The accumulation of DDT in lake trout and the effect on reproduction. *Transactions of the American Fisheries Society*. 93(2):127–136.
- Burkhard, L. P., 1998. Comparison of two models for predicting bioaccumulation of hydrophobic organic chemicals in a Great Lakes food web. *Environmental Toxicology and Chemistry*. 17(3):383–393.
- Burridge, G. N., 1997. *La Mystique du Renard: The Fox River and the Passage to the West*. Brown County Historical Society, Green Bay, Wisconsin. 39 p.
- Byron, W. R., G. W. Bierbower, J. B. Brouwer, and W. H. Hansen, 1967. Pathological changes in rats and dogs from two-year feeding of sodium arsenite or sodium arsenate. *Toxicology and Applied Pharmacology*. 10:132–147.
- Calabrese, E. J. and A. J. Sorenson, 1977. The health effects of PCBs with particular emphasis on human high risk groups. *Rev. Environ. Health*. 2:285–304.
- Calder, W. A. and E. J. Braun, 1983. Scaling of osmotic regulation in mammals and birds. *Am. J. Physiol.* 244:R601–R606. As cited in EPA, 1993a. *Wildlife Exposure Factors Handbook*. United States Environmental Protection Agency, Office of Health and Environmental Assessment, ORD, Washington, D.C.
- Call, D. J., M. D. Balcer, L. T. Brooke, S. J. Lozano, and D. D. Vaishnav, 1991. *Sediment Quality Evaluation in the Lower Fox River and Southern Green Bay of Lake Michigan*. University of Wisconsin Center for Lake Superior Environmental Studies, Superior, Wisconsin.
- Callahan, M. A., M. W. Slimak, N. W. Gabel, I. P. May, C. F. Fowler, J. R. Freed, P. Jennings, R. L. Durfee, F. C. Whitmore, B. Maestri, W. R. Mabey, B. R. Holt, and C. Gould, 1979. *Water-Related Environmental Fate of 129 Priority Pollutants*. EPA-440/4-79-029a. United States Environmental Protection Agency, Washington, D.C.
- Campens, I. and D. Mackay, 1997. Fugacity-based model of PCB bioaccumulation in complex aquatic food webs. *Environmental Science & Technology*. 31(2):577–583.
- Carlander, K. D., 1997a. Chapter 7: Yellow perch, *Perca flavescens* (Mitchill). *Handbook of Freshwater Fishery Biology*. Iowa State University Press, Ames, Iowa. 3:125–179.

- Carlander, K. D., 1997b. Chapter 9: Walleye, *Stizostedion vitreum* (Mitchill). *Handbook of Freshwater Fishery Biology*. Iowa State University Press, Ames, Iowa. 3:205–293.
- Census Bureau, 1992. *Census of the United States*. Bureau of the Census, United States Department of Commerce.
- Chao, W. Y., C. C. Hsu, and G. L. Guo, 1997. Middle ear disease in children exposed prenatally to polychlorinated biphenyls and polychlorinated dibenzofurans. *Archives of Environmental Health*. 52:257–262.
- Chen, Y., Y. L. Guo, C. C. Hsu, and W. J. Rogan 1992. Cognitive development of Yu-cheng (oil disease) children prenatally exposed to heat-degraded PCBs. *Journal of the American Medical Association*. 268:3213–3218.
- Ciborowski, J. and L. Corkum, 1988. Organic contaminants in adult aquatic insects of the St. Clair and Detroit Rivers, Ontario, Canada. *Journal of Great Lakes Research*. 14(2):148–156.
- Clark, M., 2000. Personal communication between David Morgan of ThermoRetec and Milton Clark of U.S. EPA Region V regarding the adoption of the *Protocol for a Uniform Great Lakes Sport Fish Consumption Advisory*. December 12.
- Clarke, J. U and V. A. McFarland, 1991. *Assessing Bioaccumulation in Aquatic Organisms Exposed to Contaminated Sediments*. Miscellaneous Paper D-91-2. Prepared for the United States Army Corps of Engineers.
- Clayton, F. D. and F. E. Clayton, 1981. *Patty's Industrial Hygiene and Toxicology, Volume 2B: Toxicology*. John Wiley and Sons, New York, New York. p. 3645–3669.
- Cockell, K. A. and J. W. Hilton, 1988. Preliminary investigations on the comparative chronic toxicity of four dietary arsenicals to juvenile rainbow trout (*Salmo gairdneri* R.). *Aquatic Toxicology*. 12:73–82.
- Cogliano, V. J., 1998. Assessing the cancer risk from environmental PCBs. *Environmental Health Perspectives*. 106(6):317–323.
- Cogswell, S. and D. Bougie, 1998. *Duck Creek Fisheries Assessment, Final Report*. United States Fish and Wildlife Service, Green Bay Fishery Resources Office; Wisconsin Department of Natural Resources, Green Bay Area. October 30.

- Colborn, Theo, 1991. Epidemiology of Great Lakes bald eagles. *Journal of Toxicology and Environmental Health*. 33:395–453.
- Connell, D. W. and G. J. Miller, 1984. *Chemistry and Ecotoxicology of Pollution*. John Wiley & Sons, Inc.
- Connolly, J., 1991. Application of a food chain model to polychlorinated biphenyl contamination of the lobster and winter flounder chains in New Bedford Harbor. *Environmental Science & Technology*. 25(4):760–770.
- Connolly, J., T. Parkerson, J. Quadrini, S. Taylor, and A. Thuman, 1992. *Development and Application of a Model of PCBs in the Green Bay, Lake Michigan Walleye and Brown Trout and Their Food Webs*. October 2.
- Cook, R. B., G. W. Suter, and E. R. Sain, 1999. Ecological risk assessment in a large river-reservoir: 1. Introduction and background. *Environmental Toxicology and Chemistry*. 18(4):581–588.
- Cope, W., J. Weiner, and R. Rada, 1990. Mercury accumulation in yellow perch in Wisconsin seepage lakes: Relation to lake characteristics. *Environmental Toxicology and Chemistry*. 9:931–940.
- Courval, J. M., J. V. DeHoog, A. D. Stein, E. M. Tay, J. P. He, and N. S. Paneth, 1997. Sport caught fish consumption and conception failure in Michigan anglers. *Health Conference '97 Great Lakes and St. Lawrence*. Montreal, Quebec, Canada.
- Craig, R. J., E. S. Mitchell, and J. E. Mitchell, 1988. Time and energy budgets of bald eagles wintering along the Connecticut River. *J. Field Ornithol.* 59:22–32. As cited in EPA, 1995e. *Trophic Level and Exposure Analyses for Selected Piscivorous Birds and Mammals, Volume 1: Analyses of Species in the Great Lakes Basin*. United States Environmental Protection Agency, Washington, D.C. March.
- Crump, K., Virens, A. Silvers, H. Clewell, J. Gearhart, and A. Shipp, 1995. Reanalysis of dose-response data from Iraqi methylmercury poisoning episode. *Risk Analysis*. 15:523–532.
- Cubbage, J., D. Batts, and S. Breidenbach, 1997. *Creation and Analysis of Freshwater Sediment Quality Values in Washington State*. Publication Number 97-323a. Washington State Department of Ecology.

- Custer, C., T. Custer, P. Allen, K. Stromborg, and M. Melancon, 1998. Reproduction and environmental contamination in tree swallows nesting in the Fox River drainage and Green Bay, Wisconsin, USA. *Environmental Toxicology and Chemistry*. 17(9):1786–1798.
- Custer, T. W., C. M. Custer, R. K. Hines, S. Gutreuter, K. L. Stromberg, P. D. Allen, and M. J. Melancon, 1999. Organochlorine contaminants and reproductive success of double-crested cormorants from Green Bay, Wisconsin, USA. *Environmental Toxicology and Chemistry*. 18:1207–1217.
- Custer, T. W. and G. H. Heinz, 1980. Reproductive success and nest attentiveness of mallard ducks fed Aroclor 1254. *Environmental Pollution (Series A)*. 21:313–318.
- Cuthbert, F., 1998. Personal communication of Francine Cuthbert, University of Minnesota, with Linda Mortensen, ThermoRetec, regarding tern populations. November.
- Dahlgren, R. B. and R. L. Linder, 1974. Effects of dieldrin in penned pheasants through the third generation. *Journal of Wildlife Management*. 38(2):320–330.
- Dar, E., M. S. Kanarek, H. A. Anderson, and W. C. Sonzogni, 1992. Fish consumption and reproductive outcomes in Green Bay, Wisconsin. *Environmental Research*. 59:189–201.
- Das, S. K., A. Sharma, and G. Talukder, 1982. Effects of mercury on cellular systems in mammals - A review. *Nucleus (Calcutta)*. 25:193–230.
- Dekoning, E. P. and W. Karmaus, 2000. PCB Exposure *in utero* and via breast milk: A review. *J. Expos. Anal. Environ. Epidemiol.* 10:285–293.
- DeVault, D. S., R. Hesselberg, P. W. Rodgers, and T. J. Feist, 1996. Contaminant trends in lake trout and walleye from the Laurentian Great Lakes. *Journal of Great Lakes Research*. 22(4):884–895.
- De Vore, S., 1999. *Northern Flights: Tracking the Birds and Birders of Michigan's Upper Peninsula*. Mountain Press Publishing Company, Missoula, Montana. 152 p.
- Di Toro, D. M., J. D. Mahony, D. J. Hansen, K. J. Scott, M. B. Hicks, and S. M. Mayr, 1990. Toxicity of cadmium in sediments: The role of acid volatile sulfide. *Environmental Toxicology and Chemistry*. 9:1487–1502.

- Dilworth, T., G. Keith, P. Pearce, and L. Reynolds, 1972. DDE and eggshell thickness in New Brunswick woodcock. *Journal of Wildlife Management*. 36(4):1186–1193.
- Dixon, D. and J. Sprague, 1981. Acclimation-induced changes in toxicity of arsenic and cyanide to rainbow trout, *Salmo gairdneri* Richardson. *J. Fish Biol.* 18:579-589.
- Dollarhide, J., 1993. Memorandum from J. Dollarhide, ECAO to P. VanLeeuwen, Region V as cited in personal correspondence from Kirk Gribben to David Morgan of ThermoRetec.
- Donaldson, G. M., J. L. Shutt, and P. Hunter, 1999. Organochlorine contamination in bald eagle eggs and nestlings from the Canadian Great Lakes. *Archives of Environmental Contamination and Toxicology*. 36(1):70–80.
- Duby, R. T., H. F. Travis, and C. E. Terrill, 1971. Uterotropic activity of DDT in rats and mink and its influence on reproduction in the rat. *Toxicology and Applied Pharmacology*. 18:348–355.
- Dunning, J. B., 1993. *Avian Body Masses*. CRC Press, Boca Raton, Florida.
- Dykstra, C. J. R. and M. W. Meyer, 1996. *Effects of Contaminants on Reproduction of Bald Eagles on Green Bay, Lake Michigan*. United States Fish and Wildlife Service and Wisconsin Department of Natural Resources. February.
- East Central Wisconsin Regional Planning Commission, 1996. *The Fox Cities Area Existing Land Use Map*.
- Ebert, E., N. Harrington, K. Boyle, J. Knight, and R. Keenan, 1993. Estimating consumption of freshwater fish among Maine anglers. *North American Journal of Fisheries Management*. 13:737–745.
- EcoChem, 2000. *Data Management Summary Report: Fox River Remedial Investigation/Feasibility Study*. Prepared for Wisconsin Department of Natural Resources by EcoChem, Inc., Seattle, Washington and ThermoRetec Consulting Corporation, Seattle, Washington. October 3.
- Ecology, 1995. Sediment Sampling and Analysis Plan Appendix. Washington State Department of Ecology.

- Eisler, R., 1986. *Polychlorinated Biphenyl Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review*. Biological Report 85(1.7). United States Fish and Wildlife Service, Laurel, Maryland. April.
- Eisler, R., 1987. *Mercury Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review*. Biological Report 85(1.10). United States Fish and Wildlife Service.
- Eisler, R., 1988a. *Arsenic Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review*. Biological Report 85(1.12). United States Fish and Wildlife Service.
- Eisler, R., 1988b. *Lead Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review*. Biological Report 85(1.14). United States Fish and Wildlife Service.
- Eisler, R. and A. A. Belisle, 1996. Planar PCB hazards to fish, wildlife, and invertebrates: A synoptic review. *Contaminant Hazard Reviews*. 31.
- Elliott, J. E., R. J. Norstrom, and G. E. Smith, 1996. Patterns, trends, and toxicological significance of chlorinated hydrocarbon and mercury contaminants in bald eagle eggs from the Pacific coast of Canada, 1990–1994. *Archives of Environmental Contamination and Toxicology*. 31(3):354–67.
- Elonen, G. E., R. L. Spehar, G. W. Holcombe, R. D. Johnson, J. D. Fernandez, R. J. Erickson, J. E. Tietge, and P. M. Cook, 1998. Comparative toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin to seven freshwater fish species during early life-stage development. *Environmental Toxicology and Chemistry*. 17(3):472–483.
- Enterline, P. E. and G. M. Marsh, 1982. Cancer among workers exposed to arsenic and other substances in a copper smelter. *Am. J. Epidemiol.* 116:895–910.
- Environment Canada, 1998. Contaminants in Herring Gull Eggs from the Great Lakes: 25 Years of Monitoring Levels and Effects. Website: <http://www.cciw.ca/green-lane/wildlife/gl-factsheet/herring/herring.html>.
- Environment Canada, 2000. The Rise of the Double-crested Cormorant on the Great Lakes: Winning the War Against Contaminants. Website: <http://www.cciw.ca/glimr/data/cormorant-fact-sheet/intro.html>.
- EPA, 1980a. *Ambient Water Quality Criteria for Aldrin/Dieldrin*. EPA 440/5-80-019. United States Environmental Protection Agency, Office of Water Regulations and Standards, Criteria and Standards Division, Washington, D.C.

- EPA, 1980b. *Ambient Water Quality Criteria for Arsenic*. EPA 440/5-80-021. United States Environmental Protection Agency, Office of Water Regulations and Standards, Criteria and Standards Division, Washington, D.C.
- EPA, 1980c. *Ambient Water Quality Criteria for Polychlorinated Biphenyls*. EPA 440/5-80-068. United States Environmental Protection Agency, Office of Water Regulations and Standards, Criteria and Standards Division, Washington, D.C.
- EPA, 1984a. *Drinking Water Criteria Document on Lead (Quantification of Toxicological Effects Section)*. United States Environmental Protection Agency, Office of Drinking Water.
- EPA, 1984b. *Health Effects Assessment for Arsenic*. ECAO-HO20. Prepared by United States Environmental Protection Agency, Environmental Criteria and Assessment Office for the Office of Emergency and Remedial Response.
- EPA, 1985a. *Health Advisories for 52 Chemicals Which Have Been Detected in Drinking Water*. NTIS PB860118338. United States Environmental Protection Agency, Office of Drinking Water.
- EPA, 1985b. *Health Assessment Document for Polychlorinated Dibenzo-p-dioxin*. EPA 600/8-84-014F. United States Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, Ohio.
- EPA, 1987. *Peer Review Workshop on Mercury Issues: Summary Report*. United States Environmental Protection Agency, Environmental Criteria and Assessment Office, Cincinnati, Ohio. October 26–27.
- EPA, 1988. *Drinking Water Criteria Document for Polychlorinated Biphenyls (PCBs)*. EACO-CIN-414.
- EPA, 1989a. *Exposure Factors Handbook*. EPA/600/8-89/043. United States Environmental Protection Agency, Office of Health and Environmental Assessment.
- EPA, 1989b. *Interim Procedures for Estimating Risks Associated with Exposures to Mixtures of Chlorinated Dibenzo-p-dioxins and -dibenzofurans (CDDs and CDFs) and 1989 Update*. United States Environmental Protection Agency.

- EPA, 1989c. *Risk Assessment Guidance for Superfund, Vol. 1 Interim Final (Part A) of Human Health Evaluation Manual*. EPA 540/1-89-002. United States Environmental Protection Agency, Washington, D.C.
- EPA, 1989d. *Green Bay Mass Balance Study Plan: A Strategy for Tracking Toxins in the Bay of Green Bay, Lake Michigan*. EPA-905/8-89/001. United States Environmental Protection Agency, Great Lakes National Program Office, Chicago, Illinois.
- EPA, 1989e. *Green Bay/Fox River Mass Balance Study*. EPA-905/8-89/002. GLNPO Report No. 07-89. Prepared by Science Applications International Corporation for the United States Environmental Protection Agency, Great Lakes National Program Office, McLean, Virginia.
- EPA, 1991a. *Human Health Evaluation Manual, Supplemental Guidance: Standard Default Exposure Factors*. United States Environmental Protection Agency, Washington, D.C.
- EPA, 1991b. *Chemical Concentration Data Near the Detection Limit*. EPA/903/8-91/001. United States Environmental Protection Agency, Philadelphia, Pennsylvania.
- EPA, 1992a. *Dermal Exposure Assessment: Principles and Applications*. EPA/600/8-91/011B. United States Environmental Protection Agency, Office of Health and Assessment, Washington, D.C.
- EPA, 1992b. *Framework for Ecological Risk Assessment*. EPA/630/4-92/001. United States Environmental Protection Agency, Risk Assessment Forum, Washington, D.C. February.
- EPA, 1992c. *National Study of Chemical Residues in Fish*. EPA 823-R-92-008b. United States Environmental Protection Agency, Office of Science and Technology, Washington, D.C. September.
- EPA, 1992d. *Supplemental Guidance to RAGS: Calculating the Concentration Term*. Publication 92B5.7-061. United States Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington, D.C. May.
- EPA, 1993a. *Wildlife Exposure Factors Handbook*. United States Environmental Protection Agency, Office of Health and Environmental Assessment, ORD, Washington, D.C.

- EPA, 1993b. Updated version of the Region 8 CWA Section 304(a) criteria chart. United States Environmental Protection Agency.
- EPA, 1994a. *Estimating Exposure to Dioxin-Like Compounds, Volume II: Properties, Sources, Occurrence and Background Exposures*. Review Draft. EPA/600/6-88/005Cb. United States Environmental Protection Agency, Washington, D.C.
- EPA, 1994b. Eco Update: Field Studies for Ecological Risk Assessment. Intermittent Bulletin. Publication 9345.0-051. United States Environmental Protection Agency, Office of Solid Waste and Emergency Response. 2(3). March.
- EPA, 1995a. *Assessing Dermal Exposure from Soil*. Region III Technical Guidance Manual. EPA/903-K-95-003. United States Environmental Protection Agency, Office of Superfund Programs, Philadelphia, Pennsylvania.
- EPA, 1995b. *Guidance for Risk Characterization*. United States Environmental Protection Agency, Science Policy Council. February.
- EPA, 1995c. *Policy for Risk Characterization at the U.S. Environmental Protection Agency*. United States Environmental Protection Agency. March 21.
- EPA, 1995d. *Great Lakes Water Quality Initiative Technical Support Document for Wildlife Criteria*. United States Environmental Protection Agency, Washington, D.C. March.
- EPA, 1995e. *Trophic Level and Exposure Analyses for Selected Piscivorous Birds and Mammals, Volume 1: Analyses of Species in the Great Lakes Basin*. United States Environmental Protection Agency, Washington, D.C. March.
- EPA, 1996a. *Assessment and Remediation of Contaminated Sediments (ARCS) Program: Calculation and Evaluation of Sediment Effect Concentrations for the Amphipod *Hylella azteca* and the Midge *Chironomus riparius**. EPA 905-R-96-008. United States Environmental Protection Agency, Great Lakes National Program Office, Chicago, Illinois.
- EPA, 1996b. *Proposed Guidelines for Carcinogen Risk Assessment*. EPA/600/P-92/003C. United States Environmental Protection Agency.

- EPA, 1996c. *Recommendations of the Technical Review Workgroup for Lead for an Interim Approach for Assessing Risks Associated with Adult Exposures to Lead in Soil*. United States Environmental Protection Agency, Technical Review Workgroup for Lead. December.
- EPA, 1996d. *Report on Peer Review Workshop on PCBs: Cancer Dose-Response Assessment and Application to Environmental Mixtures*. EPA/600/P-96/001F. United States Environmental Protection Agency, Washington, D.C.
- EPA, 1996e. *Soil Screening Guidance: User's Guide*. 9355.4-23, EPA/540/R-96/018. United States Environmental Protection Agency, Office of Solid Waste and Emergency Response. April.
- EPA, 1996f. *Daily Average per Capita Fish Consumption Estimates Based on the Combined USDA 1989, 1990 and 1991 Continuing Survey of Food Intakes by Individuals (CSFII) 1989–91 Data: Volumes I and II*. Preliminary Draft Report. United States Environmental Protection Agency, Office of Water, Washington, D.C.
- EPA, 1996g. *Eco Update: Ecotox Thresholds*. EPA 540/F-95/038. United States Environmental Protection Agency, Office of Solid Waste and Emergency Response, Office of Emergency and Remedial Response. Intermittent Bulletin. 3(2). January.
- EPA, 1997a. *Ecological Risk Assessment Guidance for Superfund: Process for Designing and Conducting Ecological Risk Assessments*. Interim Final. EPA 540-R-97-006. United States Environmental Protection Agency, Office of Solid Waste and Emergency Response, Edison, New Jersey. June 5.
- EPA, 1997b. *Exposure Factors Handbook (Update to Exposure Factors Handbook - May 1989)*. EPA/600/8-89/043. United States Environmental Protection Agency, Office of Research and Development, Washington, D.C.
- EPA, 1997c. *Health Effects Assessment Summary Tables (HEAST)*. EPA/540/R-97/036. United States Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington, D.C.
- EPA, 1997d. *The Incidence and Severity of Sediment Contamination in Surface Waters of the United States: National Sediment Contaminant Point Source Inventory, Volume 3*. EPA-923-R-97-008. United States Environmental Protection Agency.

- EPA, 1997e. *Mercury Study Report to Congress. Volume VI: An Ecological Assessment for Anthropogenic Mercury Emissions in the United States*. EPA-452/R-97-008. United States Environmental Protection Agency. December.
- EPA, 1998a. National recommended water quality criteria. Republication. *Federal Register*. 63(237):68354–68363.
- EPA, 1998b. *Guidelines for Ecological Risk Assessment*. EPA/630/R-95/002F. United States Environmental Protection Agency, Risk Assessment Forum, Washington, D.C.
- EPA, 1998c. *Integrated Risk Information System (IRIS) On-line Database*. United States Environmental Protection Agency, Office of Research and Development, Cincinnati, Ohio. Website: <http://www.epa.gov/ngispgm3/iris/>.
- EPA, 1999. *Risk Assessment Guideline for Superfund, Volume 3 (Part A, Process for Conducting Probabilistic Risk Assessment)*. Draft, Revision No. 5. United States Environmental Protection Agency. December.
- EPA, 2000a. *Focused Ecological Risk Assessment: Upper Green Bay Portion of the Fox River Site, Green Bay, Wisconsin*. United States Environmental Protection Agency, Office of Emergency and Remedial Response, Environmental Response Team Center. February.
- EPA, 2000b. *Drinking Water Standards and Health Advisories*. EPA 822-B-00-001. United States Environmental Protection Agency, Office of Water. Summer.
- EPA, 2000c. *Child-Specific Exposure Factors Handbook*. External Review Draft. USEPA NCEA-W-0853. United States Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment, Washington, D.C. June 1.
- ERG, 2000. *Report on the Peer Review of the Ecological Risk Assessment for the Hudson River PCBs Superfund Site: Final Report to the United States Environmental Protection Agency Region 2*. Prepared by the Eastern Research Group, Lexington, Massachusetts. August 18.
- Eriksson, P., T. Archer, and A. Fredriksson, 1990a. Altered behavior in adult mice exposed to a single low dose of DDT and its fatty acid conjugate as neonates. *Brain Research*. 514:141–142.

- Eriksson, P., L. Nilsson-Hakansson, A. Nordberg, A. Aspberg, and A. Fredricksson, 1990b. Neonatal exposure to DDT and its fatty acid conjugate: Effects on cholinergic and behavioral variables in the adult mouse. *Neurotoxicology*. 11:145–354.
- EVS, 1998. *Sheboygan River and Harbor Aquatic Ecological Risk Assessment (Volume 1 of 3)*, Seattle, Washington. Prepared by EVS Environment Consultants and National Oceanic and Atmospheric Administration.
- Ewins, P. J., 1994. The diet of herring gulls (*Larus argentatus*) during winter and early spring on the lower Great Lakes. *Hydrobiologia*. 279/280:39–55.
- Exponent, 1998. *Habitat Characterization for the Lower Fox River and Green Bay Assessment Area*. Prepared for the Fox River Group and the Wisconsin Department of Natural Resources. Landover, Maryland.
- Exponent, 1999. *The Use of Habit Characterization and Food Web Modeling in the Evaluation of Remedial Alternatives*. Prepared for the Fox River Group. January 18.
- Exponent, 2000. *Baseline Human Health Risk Assessment of PCBs in the Lower Fox River System*. Prepared for the Fox River Group and Wisconsin Department of Natural Resources. Landover, Maryland.
- Falk, C., L. Hanrahan, H. A. Anderson, M. S. Kanarek, L. Draheim, L. Needham, and D. J. Patterson, 1999. Body burden levels of dioxin, furans, and PCBs among frequent consumers of Great Lakes sport fish. *The Great Lakes Consortium. Environ. Res.* 80(2 Pt 2):S19–S25.
- Fein, G., J. L. Jacobson, S. W. Jacobson, and P. Schwarz, 1984a. *Intrauterine Exposure of Humans to PCBs (Polychlorinated Biphenyls): Newborn Effects*. EPA-600/3-84-060. United States Environmental Protection Agency.
- Fein, G. G., J. L. Jacobson, S. W. Jacobson, P. M. Schwartz, and J. K. Dowler, 1984b. Prenatal exposure to polychlorinated biphenyls: Effects on birth size and gestational age. *Journal of Pediatrics*. 105(2):315–20.
- Fimreite, N., 1971. *Effects of Dietary Methylmercury on Ring-necked Pheasants with Special Reference to Reproduction*. Canadian Wildlife Service, Department of the Environment.

- Fimreite, N., 1979. Accumulation and effects of mercury on birds. In: *The Biogeochemistry of Mercury in the Environment*. J. Nriagu (Ed.) Elsevier Press, Amsterdam, The Netherlands. p. 601–627.
- Finley, M. T. and R. C. Stendell, 1978. Survival and reproductive success of black ducks fed methyl mercury. *Environmental Pollution*. 16:51–65.
- Fiore, B. J., H. A. Anderson, L. P. Hanrahan, L. J. Olson, and W. C. Sonzogni, 1989. Sport fish consumption and body burden levels of chlorinated hydrocarbons: A study of Wisconsin anglers. *Archives of Environmental Health*. 44(2):82–8.
- Fischer, L. J., R. F. Seegal, P. E. Ganey, I. N. Pessah, and P. R. S. Kpdavanti, 1998. Symposium overview: Toxicity of non-coplanar PCBs. Article No. TX972386. *Toxicological Sciences*. 41:49–61.
- Fisk, A. T. and T. A. Johnston, 1998. Maternal transfer of organochlorines to eggs of walleye (*Stizostedion vitreum*) in Lake Manitoba and western Lake Superior. *Journal of Great Lakes Research*. 24(4):917–928.
- Fitzgerald, S. A. and J. J. Steuer, 1996. *The Fox River PCB Transport Study—Stepping Stone to a Healthy Great Lakes Ecosystem*. Fact Sheet FS-116-96. United States Geological Survey.
- Flath, L. E. and J. S. Diana, 1985. Seasonal energy dynamics of the alewife in southeastern Lake Michigan. *Transactions of the American Fisheries Society*. 114:328–337.
- Foley, R. E., S. J. Jackling, R. J. Sloan, and M. K. Brown, 1988. Organochlorine and mercury residues in wild mink and otter: Comparison with fish. *Environmental Toxicology and Chemistry*. 7:363–374.
- Fox, G., B. Collins, E. Hayakawa, D. Weseloh, J. Ludwig, T. Kubiak, and T. Erdman, 1991a. Reproductive outcomes in colonial fish-eating birds: A biomarker for development toxicants in Great Lakes food chains, I: Historical and ecotoxicological perspectives. *Journal of Great Lakes Research*. 17:153–157.
- Fox, G., D. Weseloh, T. Kubiak, and T. Erdman, 1991b. Reproductive outcomes in colonial fish-eating birds: A biomarker for development toxicants in Great Lakes food chains, II: Spatial variation in the occurrence and prevalence of bill defects in young double-crested cormorants in the Great Lakes, 1979–1987. *Journal of Great Lakes Research*. 17:158–167.

- Frank, R., M. Holdrinet, and P. Suda, 1979. *Organochlorine and Mercury Residues in Wild Mammals in Southern Ontario, Canada 1973–74*. Springer-Verlag.
- Frank, R. and M. V. H. Holdrinet, 1975. Residue of organochlorine compounds and mercury in birds' eggs from the Niagara Peninsula, Ontario. *Archives of Environmental Contamination and Toxicology*. 3(2):205–218.
- Freeman, G. B., J. D. Johnson, J. M. Killinger, S. C. Liao, A. O. Davis, M. V. Ruby, R. L. Chaney, S. C. Lovre, and P. D. Bergstrom, 1993. Bioavailability of arsenic in soil impacted by smelter activities following oral administration in rabbits. *Fundamental and Applied Toxicology*. 21:83–88.
- Freeman, H. C. and D. R. Idler, 1975. The effect of polychlorinated biphenyls on steroidogenesis and reproduction in the brook trout (*Salvelinus fontinalis*). *Canadian Journal of Biochemistry*. 53(6):666–670.
- Friedmann, A. S., M. C. Watzin, T. Brinck-Johnsen, and J. C. Leiter, 1996. Low levels of dietary methylmercury inhibit growth and gonadal development in juvenile walleye (*Stizostedion vitreum*). *Aquatic Toxicology*. 35:265–278.
- Froese, K. L., D. A. Verbrugge, G. T. Ankley, G. J. Niemi, C. P. Larsen, and J. P. Giesy, 1998. Bioaccumulation of polychlorinated biphenyls from sediments to aquatic insects and tree swallow eggs and nestlings in Saginaw Bay, Michigan, USA. *Environmental Toxicology and Chemistry*. 17(3):484–492.
- Gakstatter, J. H. and C. M. Weiss, 1967. The elimination of DDT-C14, dieldrin-C14, and lindane-C14 from fish following a single exposure in aquaria. *Transactions of the American Fisheries Society*. 96(3):301–307.
- GAS/SAIC, 1996. *Remedial Investigation Report for Contaminated Sediment Deposits on the Fox River (Little Lake Butte des Morts to the De Pere Dam)*. Prepared for Wisconsin Department of Administration, Madison, Wisconsin by Graef, Anhalt, Schloemer & Associates (GRAEF) and Science Applications International Corporation (SAIC). September 24.
- Gendron, A. D., C. A. Bishop, R. Fortin, and A. Hontela, 1997. *In vivo* testing of the functional integrity of the corticosterone-producing axis in mudpuppy (amphibia) exposed to chlorinated hydrocarbons in the wild. *Environmental Toxicology and Chemistry*. 16(8):1694–1706.
- Genelly, R. E. and R. L. Rudd, 1956. Chronic toxicity of DDT, toxaphene and dieldrin to ring-necked pheasants. *California Fish and Game*. 42(1):5–14.

- Giesy, J., J. Ludwig, and D. Tillitt, 1994a. Deformities in birds of the Great Lakes Region: Assigning causality. *Environmental Science & Technology*. 28:128A–135A.
- Giesy, J. P., J. P. Ludwig, and D. E. Tillitt, 1994b. Chapter 9: Dioxins, dibenzofurans, PCBs and colonial, fish-eating water birds. In: *Dioxins and Health*. A. Schecter (Ed.) Plenum Press, New York, New York. p. 249–307.
- Giesy, J. P., D. A. Verbrugge, R. A. Othout, W. W. Bowerman, M. A. Mora, P. D. Jones, J. L. Newsted, C. Vandervoort, S. N. Heaton, R. J. Aulerich, S. J. Bursian, J. P. Ludwig, M. E. Ludwig, G. A. Dawson, T. J. Kubiak, D. A. Best, and D. E. Tillitt, 1994c. Contaminants in fishes from Great Lakes-influenced sections and above dams of three Michigan rivers, I: Concentrations of organochlorine insecticides, polychlorinated biphenyls, dioxin equivalents, and mercury. *Archives of Environmental Contamination and Toxicology*. 27(2):202–212.
- Giesy, J. P., D. A. Verbrugge, R. A. Othout, W. W. Bowerman, M. A. Mora, P. D. Jones, J. L. Newsted, C. Vandervoort, S. N. Heaton, R. J. Aulerich, S. J. Bursian, J. P. Ludwig, G. A. Dawson, T. J. Kubiak, D. A. Best, and D. E. Tillitt, 1994d. Contaminants in fishes from Great Lakes-influenced sections and above dams of three Michigan rivers, II: Implications for health of mink. *Archives of Environmental Contamination and Toxicology*. 27(2):213–223.
- Giesy, J. P., W. W. Bowerman, M. A. Mora, D. A. Verbrugge, R. A. Othout, J. L. Newsted, C. L. Summer, R. J. Aulerich, S. J. Bursian, J. P. Ludwig, G. A. Dawson, T. J. Kubiak, D. A. Best, and D. E. Tillitt, 1995. Contaminants in fishes from Great Lakes-influenced sections and above dams of three Michigan rivers: III. Implications for health of bald eagles. *Archives of Environmental Contamination and Toxicology*. 29(3):309–21.
- Gilbert, F. F., 1969. Physiological effects of natural DDT residues and metabolites on ranch mink. *Journal of Wildlife Management*. 33(4):933–943.
- Gilbertson, M., 1988. Epidemics in birds and mammals caused by chemicals in the Great Lakes. In: *Toxic Contaminants and Ecosystem Health: A Great Lakes Focus*. M. S. Evans (Ed.) John Wiley & Sons, Inc. p. 133–140.
- Gilbertson, M., T. Kubiak, J. Ludwig, and G. Fox, 1991. Great Lakes embryo mortality, edema, and deformities syndrome (GLEMEDS) in colonial fish-eating birds: Similarity to chick-edema disease. *Journal of Toxicology and Environmental Health*. 33(4):455–520.

- Gladen, B. C., W. J. Rogan, and P. Hardy, 1988. Development after exposure to polychlorinated biphenyls and dichlorodiphenyl dichloroethene transplacentally through human milk. *Journal of Pediatrics*. 113(6):991–995.
- Gobas, F. A. P. C., 1993. A model for predicting the bioaccumulation of hydrophobic organic chemicals in aquatic food webs: Application to Lake Ontario. *Ecological Modeling*. 69:1–17. December 8.
- Gobas, F. A. P. C., M. N. Z'Graggen, and X. Zhang, 1995. Time response of the Lake Ontario ecosystem to virtual elimination of PCBs. *Environmental Science & Technology*. 29(8):2038–2046.
- Goldsmith, J. R., M. Deane, J. Thom, and G. Gentry, 1972. Evaluation of health implications of elevated arsenic in well water. *Water Res.* 6:1133–1136.
- Gottofrey, J. and H. Tjalve, 1991. Effect of lipophilic complex formation on the uptake and distribution of Hg^{2+} and $\text{CH}_3\text{-Hg}^+$ in brown trout (*Salmo trutta*): Studies with some compounds containing sulfur ligands. *Water, Air, and Soil Pollution*. 56:521–532.
- Great Lakes Commission, 2000. Metafile (electronic) fish and bird location data for the Upper Peninsula of Michigan. From: *NOAA Environmental Sensitivity Index Report*. Supplied by Tom Rayburn. February 8.
- Grieb, T. M., C. T. Driscoll, S. P. Gloss, C. L. Schofield, G. L. Bowie, and D. B. Porcella, 1990. Factors affecting mercury accumulation in fish in the Upper Michigan Peninsula. *Environmental Toxicology and Chemistry*. 9:919–930.
- Guo, Y. L., G. H. Lambert, and C. C. Hsu, 1995. Growth abnormalities in the population exposed in utero and early postnatally to polychlorinated biphenyls and dibenzofurans. *Environmental Health Perspectives*. 103(Supplement 6):117–122.
- Gustavsson, P., C. Hogstedt, and C. Rappe, 1986. Short-term mortality and cancer incidence in capacitor manufacturing workers exposed to polychlorinated biphenyls (PCBs). *Am. J. Ind. Med.* 10:341–344.
- Haffner, G. D., C. A. Straughan, D. V. Weseloh, and R. Lazar, 1997. Levels of polychlorinated biphenyls, including coplanar congeners, and 2,3,7,8-TCDD toxic equivalents in double-crested cormorant and herring gull eggs from Lake Erie and Lake Ontario: A comparison between 1981 and 1992. *Journal of Great Lakes Research*. 23(1):52–60.

- Hagmar, L., T. Hallbery, M. Leja, A. Milsson, and A. Schutz, 1995. High consumption of fatty fish from the Baltic Sea is associated with changes in human lymphocyte subset levels. *Toxicol. Lett.* 77(335–342).
- Hanrahan, L. P., C. Falk, H. A. Anderson, L. Draheim, M. S. Kanarek, J. Olson, and The Great Lakes Consortium, 1997. Serum PCB and DDE levels of frequent Great Lakes sport fish consumers - A first look. *Health Conference '97 Great Lakes and St. Lawrence*. Montreal, Quebec, Canada. p. S26–S37.
- Hardell, L., B. Van Bavel, G. Lindström, M. Fredrikson, H. Hagberg, G. Liljegren, M. Nordström, and B. Johansson, 1996. Higher concentrations of specific polychlorinated biphenyl congeners in adipose tissue from non-Hodgkin's lymphoma patients compared with controls without a malignant disease. *Int. J. Oncol.* 9:603–608.
- Harr, J., R. Claeys, J. Bone, and T. McCorcle, 1970a. Dieldrin toxicosis: Rat reproduction. *Am. J. of Vet. Research.* 31(1):181–189.
- Harr, J. R., R. R. Claeys, J. F. Bone, and N. Benedict, 1970b. Dieldrin toxicosis in rats: Long-term study of brain and vascular effects. *Am. J. Vet. Res.* 32:1853.
- Harris, H. J., 1990. *The State of the Bay: A Capsule View*. University of Wisconsin-Green Bay Institute for Land and Water Studies.
- Harris, H. J., 1993. *A Watershed Perspective: The Condition of the Bay of Green Bay and Lake Michigan 1993*. University of Wisconsin-Green Bay.
- Harris, H. J., T. C. Erdman, G. T. Ankley, and K. B. Lodge, 1993. Measures of reproductive success and polychlorinated biphenyl residues in eggs and chicks of Forster's terns on Green Bay, Lake Michigan, Wisconsin 1988. *Archives of Environmental Contamination and Toxicology.* 25(3):304–314.
- Harris, G. E., Y. Kiparissis, and C. D. Metcalfe, 1994. Assessment of the toxic potential of PCB congener 81 (3,4,4',5-tetrachlorobiphenyl) to fish in relation to other non-ortho-substituted PCB congeners. *Environmental Toxicology and Chemistry.* 13(9):1405–1413.
- Harrison, H. H., 1979. *Peterson Field Guide: Western Birds' Nests*. Houghton Mifflin Company, Boston, Massachusetts.
- Harrison, C. and A. Greensmith, 1993. *Birds of the World*. DK Publishing, Inc., New York, New York. 416 p.

- Haseltine, S. D. and R. M. Prouty, 1980. Aroclor 1242 and reproductive success of adult mallards (*Anas platyrhynchos*). *Environ. Res.* 23:29–34.
- Heagerty, P. J. and T. Lumley, 2000. Window subsampling of estimating functions with application to regression models. *Journal of the American Statistical Association.* 95:197–211.
- Heath, R. G., J. W. Spann, E. F. Hill, and J. F. Kreitzer, 1972. *Comparative Dietary Toxicities of Pesticides to Birds*. Special Scientific Report. Wildlife No. 152. United States Fish and Wildlife Service, Washington, D.C.
- Heaton, S. N., S. J. Bursian, J. P. Giesy, D. E. Tillitt, J. A. Render, P. D. Jones, D. A. Verbrugge, T. J. Kubiak, and R. J. Aulerich, 1995a. Dietary exposure of mink to carp from Saginaw Bay, Michigan: 1. Effects on reproduction and survival, and the potential risks to wild mink populations. *Archives of Environmental Contamination and Toxicology.* 28(3):334–343.
- Heaton, S. N., S. J. Bursian, J. P. Giesy, D. E. Tillitt, J. A. Render, P. D. Jones, D. A. Verbrugge, T. J. Kubiak, and R. J. Aulerich, 1995b. Dietary exposure of mink to carp from Saginaw Bay, Michigan: 2. Hematology and liver pathology. *Archives of Environmental Contamination and Toxicology.* 29(3):411–417.
- Heinz, G., 1974. Effects of low dietary levels of methylmercury on mallard reproduction. *Bulletin of Environmental Contamination and Toxicology.* unknown volume:386–393.
- Heinz, G. H., 1976a. Methylmercury: Second-generation reproductive and behavioral effects on mallard ducks. *Journal of Wildlife Management.* 40(4):710–715.
- Heinz, G. H., 1976b. Methylmercury: Second-year feeding effects on mallard reproduction and duckling behavior. *Journal of Wildlife Management.* 40(1):82–90.
- Heinz, G. H., 1979. Methylmercury: Reproductive and behavioral effects on three generations of mallard ducks. *Journal of Wildlife Management.* 43(2):394–401.
- Heinz, G. H. and L. N. Locke, 1975. Brain lesions in mallard ducklings from parent fed methylmercury. *Avian Diseases.* 20(1):9–17.

- Hendricks, J. D., W. T. Stott, T. P. Putnam, and R. O. Sinnhuber, 1981. Enhancement of aflatoxin b, hepatocarcinogenesis in rainbow trout (*Salmo gairdneri*) embryos by prior exposure of gravid females to dietary Aroclor 1254. In: *Aquatic Toxicology and Hazard Assessment: Fourth Conference, ASTM STP 737*. D. R. Branson and K. L. Dickson (Eds.) American Society for Testing and Materials. p. 203–214.
- Hendricks, J. D., D. N. Arbogast, and G. S. Bailey, 1990. Aroclor 1254 (PCB) enhancement of 7,12-Dimethylbenz(a)-anthracene (DMBA) hepatocarcinogenesis in rainbow trout. An abstract from the proceedings of: *The American Association for Cancer Research Volume 13, March 1990*. p. 1. As cited in Barron, M. G., M. Anderson, J. D. Hendricks, W. T. Stott, T. P. Putnam and R. O. Sinnhuber, 1999. *Association Between PCBs, Liver Lesions, and Biomarker Responses in Adult Walleye (Stizostedium vitreum vitreum) Collected from Green Bay, Wisconsin*. Branson, D. R. and K. L. Dickson (eds.) April 13.
- Henry, M. G. and G. J. Atchinson, 1991. Metal effects on fish behavior: Advances in determining the ecological significance of responses. In: *Metal Ecotoxicology: Concepts and Applications*. M. Newman and A. McIntosh (Eds.) Lewis Publishers, Chelsea, Michigan. p. 131–143.
- Henshel, D. S., J. W. Martin, R. Norstrom, P. Whitehead, J. D. Steeves, and K. M. Cheng, 1995. Morphometric abnormalities in brains of great blue heron hatchlings exposed in the wild to PCDDs. *Environmental Health Perspectives*. 103(Supplement 4):61.
- Hewett, S. W. and D. J. Stewart, 1989. Zooplanktivory by alewives in Lake Michigan: Ontogenetic, seasonal, and historical patterns. *Transactions of the American Fisheries Society*. 118(6):581–596.
- Higgins, I., K. Welch, and C. Burchfiel, 1982. *Mortality of Anaconda Smelter Workers in Relation to Arsenic and Other Exposures*. Department of Epidemiology, University of Michigan, Ann Arbor, Michigan.
- Hoffman, D. J., G. J. Smith, and B. A. Rattner, 1993. Biomarkers of contaminant exposure in common terns and black-crowned night herons in the Great Lakes. *Environmental Toxicology and Chemistry*. 12:1095–1103.

- Hoffman, D. J., C. P. Rice, and T. J. Kubiak, 1996. Chapter 7: PCBs and dioxins in birds. In: *Environmental Contaminants in Wildlife—Interpreting Tissue Concentrations*. W. N. Beyer, G. H. Heinz and A. M. Redmon-Norwood (Eds.) Lewis Publishers, Boca Raton, Florida. p. 165–207.
- Hogan, J. W. and J. L. Brauhn, 1975. Abnormal rainbow trout fry from eggs containing high residues of a PCB (Aroclor 1242). *The Progressive Fish-Culturist*. 37:229–230.
- Hoke, R. A., J. P. Giesy, and R. G. Kreis, 1992. Sediment pore water toxicity identification in the Lower Fox River and Green Bay, Wisconsin, using the microtox assay. *Ecotoxicology and Environmental Safety*. 23:343–354.
- Holey, M. E., R. W. Rybicki, G. W. Eck, E. H. Brown Jr., J. E. Marsden, D. S. Lavis, M. L. Toneys, T. N. Trudeau, and R. M. Horrall, 1995. Progress toward lake trout restoration in Lake Michigan. *Journal of Great Lakes Research*. 21(Supplement 1):128–151.
- Hornshaw, T. C., R. J. Aulerich, and H. E. Johnson, 1983. Feeding Great Lakes fish to mink: Effects on mink and accumulation and elimination of PCBs by mink. *Journal of Toxicology and Environmental Health*. 11(4–6):933–946.
- Hovinga, M. E., M. Sowers, and H. E. B. Humphrey, 1992. Historical changes in serum PCB and DDT levels in an environmentally-exposed cohort. *Archives of Environmental Contamination and Toxicology*. 22:362–366.
- Howard, P. H., R. S. Boethling, W. F. Jarvies, W. M. Meyla, and E. M. Michalenko, 1991. *Handbook of Environmental Degradation Rates*. Lewis Publishers, Inc., Chelsea, Michigan. 725 p.
- Howe, R. W., A. T. Wolf, and T. C. Erdman, 1993. *A Study of Wintering Bald Eagles on the Fox River of Northeastern Wisconsin*. Prepared by University of Wisconsin - Green Bay, Department of Natural and Applied Sciences. Submitted to Repap Wisconsin, Inc.
- Hoyer, A. P., P. Grandjean, T. Jorgensen, J. W. Brock, and H. B. Hartvig, 1998. Organochlorine exposure and risk of breast cancer. *The Lancet*. 352(9143):1816–20.
- Huckabee, J., J. Elwood, and S. Hildebrand, 1979. Accumulation of mercury in freshwater biota. In: *The Biogeochemistry of Mercury in the Environment*. J. Nriagu (Ed.) Elsevier Press, Amsterdam, The Netherlands. p. 277–302.

- Hueper, W. C. and W. W. Payne, 1962. Experimental studies in metal carcinogenesis: Chromium, nickel, iron, arsenic. *Archives of Environmental Health*. 5:445.
- Huisman, M., C. Koopman-Esseboom, V. Fidler, M. Hadders-Algra, C. G. Vander Paauw, L. G. M. T. Tuinstra, N. Weisglas-kuperus, P. J. J. Sauer, B. C. L. Touwen, and E. R. Boersma, 1995a. Perinatal exposure to polychlorinated biphenyls and dioxins and its effect on neonatal neurological development. *Early Human Development*. 41:111–127.
- Huisman, M., C. Koopman-Essenboom, C. I. Lanting, C. G. Vander Paauw, L. G. M. T. Tuinstra, and V. Fidler, 1995b. Neurological condition in 18-month-old children perinatally exposed to polychlorinated biphenyls and dioxins. *Early Human Development*. 43(165–176).
- Humphrey, H. E. B., 1983. Population studies of PCBs in Michigan residents. In: *PCBs: Human and Environmental Hazards*. F. M. D'Itri and M. Kamrin (Eds.) Butterworth, Boston, Massachusetts.
- Humphrey, H. E. B., 1988. Chemical contaminants in the Great Lakes: The human health aspect. In: *Toxic Contaminants and Ecosystem Health: A Great Lakes Focus*. M. S. Evans (Ed.) John Wiley and Sons, New York. p. 153–165.
- Humphrey, H. E. B., J. C. Gardiner, J. R. Pandya, A. M. Sweeny, D. M. Gasior, R. J. McCaffrey, and S. L. Schantz, 2000. PCB congener profile in the serum of humans consuming Great Lakes fish. *Environmental Health Perspectives*. 108(2).
- Hurley, J. P., S. E. Cowell, M. M. Shafer, and P. E. Hughes, 1998. Partitioning and transport of total and methyl mercury in the lower Fox River, Wisconsin. *Environmental Science & Technology*. 32(10):1424–1432.
- Hutchison, R., 1994. *Fish Consumption by Hmong Households in Sheboygan, Wisconsin*. Prepared for Tecumseh Products Company, Sheboygan Falls, Wisconsin. September.
- Hutchison, R., 1998/1999. *Impacts of PCB Contamination on Subsistence Fishing in the Lower Fox River (Draft Report)*. Revised 1999. ERH Associates. February 5.
- Hutchison, R. and C. E. Kraft, 1994. Hmong fishing activity and fish consumption. *Journal of Great Lakes Research*. 20(2):471–478.

- ICF Clement Associates, 1985. *Chemical, Physical and Biological Properties of Compounds Present at Hazardous Waste Sites*.
- Ingersoll, C. G., P. S. Haverland, E. L. Brunson, T. J. Canfield, F. J. Dwyer, C. E. Henke, N. E. Kemble, D. R. Mount, and R. G. Fox, 1996. Calculation and evaluation of sediment effect concentrations for the amphipod *Hyaella azteca* and the midge *Chironomus riparius*. *Journal of Great Lakes Research*. 22(3):602–623.
- IPS, 1993a. *Benthic Community Characterization in Little Lake Butte des Morts, Winnebago County, Wisconsin - 1992*. Data Report One. Integrated Paper Services, Inc. (IPS), Appleton, Wisconsin. January 29.
- IPS, 1993b. *Benthic Community Component, Fox River Quality Triad Assessment, 1992, Project Data: Project Number One*. Integrated Paper Services, Inc. (IPS), Appleton, Wisconsin. June.
- IPS, 1994. *Benthic Community Component, Fox River Sediment Quality Triad Assessment - 1993*. Integrated Paper Services, Inc. (IPS), Appleton, Wisconsin. June 15.
- IPS, 1995. *Lower Fox River/Bay of Green Bay Biological Water Quality Study - 1994*. Integrated Paper Services, Inc. (IPS), Appleton, Wisconsin. December 15.
- Ishinishi, N., Y. Kodama, K. Nobutomo, and A. Hisanaga, 1977. Preliminary experimental study on carcinogenicity of arsenic trioxide in rat lung. *Environmental Health Perspectives*. 19:191–196.
- Ito, N., H. Nagasaki, M. Arai, S. Makiura, S. Sugihara, and K. Hirao, 1973. Histopathologic studies on liver tumorigenesis induced in mice by technical polychlorinated biphenyls and its promoting effect on liver tumors induced by benzene hexachloride. *Journal of the National Cancer Institute*. 51(5):1637–1646.
- Ito, N., H. Nagasaki, S. Makiura, and M. Arai, 1974. Histopathological studies on liver tumorigenesis in rats treated with polychlorinated biphenyls. *Gann*. 65:545–549.
- Ivankovic, S., G. Eisenbrand, and R. Pressman, 1979. Lung carcinoma induction in BD rats after single intratracheal instillation of an arsenic containing pesticide mixture formerly used in vineyards. *Int. J. Cancer*. 24:786–788.

- Jacobson, J. L., P. M. Schwartz, G. G. Fein, and J. K. Dowler, 1984. Prenatal exposure to an environmental toxin: A test of the multiple effects model. *Developmental Psychology*. 20:523–532.
- Jacobson, S. W., G. G. Fein, J. L. Jacobson, P. M. Schwartz, and J. K. Dowler, 1985. The effect of intrauterine PCB exposure on visual recognition memory. *Child Development*. 56(4):853–860.
- Jacobson, J. L., S. W. Jacobson, and H. E. B. Humphrey, 1990a. Effects of exposure to PCBs and related compounds on growth and activity in children. *Neurotoxicol. Teratol.* 12:319–326.
- Jacobson, J. L., S. W. Jacobson, and H. E. B. Humphrey, 1990b. Effects of in utero exposure to polychlorinated biphenyls and related contaminants on cognitive-functioning in young children. *Journal of Pediatrics*. 116:38–45.
- Jacobson, J. L. and S. W. Jacobson, 1996. Intellectual impairment in children exposed to polychlorinated biphenyls *in utero*. *New England Journal of Medicine*. 335:783–789.
- Jarvinen, A. W., M. J. Hoffman, and T. W. Thorslund, 1977. Long-term toxic effects of DDT food and water exposure on fathead minnows (*Pimephales promelas*). *Journal of the Fisheries Research Board of Canada*. 34(1):2089–2103.
- Jensen, S., J. E. Kihlstrom, N. Olsson, C. Lundberg, and J. Orberg, 1977. Effects of PCB and DDT on mink (*Mustela vison*) during the reproductive season. *Ambio*. 6:239.
- Johnson, B., H. Hicks, D. Jones, W. Cibulas, A. Wargo, and C. De Rosa, 1998a. Public health implications of persistent toxic substances in the Great Lakes and St. Lawrence Basins. *Journal of Great Lakes Research*. 24(3):698–722.
- Johnson, R. D., J. E. Tietge, K. M. Jensen, J. D. Fernandez, A. L. Linnum, D. B. Lothenbach, G. W. Holcombe, P. M. Cook, S. A. Christ, D. L. Lattier, and D. A. Gordon, 1998b. Toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin to early life stage brook trout (*Salvelinus fontinalis*) following parental dietary exposure. *Environmental Toxicology and Chemistry*. 17(12):2408–2421.
- Johnson, W. W. and M. T. Finley, 1980. *Handbook of Acute Toxicity of Chemicals to Fish and Aquatic Invertebrates*. Resource Publication 137. United States Department of the Interior, Fish and Wildlife Service, Washington, D.C.

- Jones, P. D., J. P. Giesy, J. L. Newsted, D. A. Verbrugge, D. L. Beaver, G. T. Ankley, D. E. Tillitt, K. B. Lodge, and G. J. Niemi, 1993. 2,3,7,8-tetrachlorodibenzo-p-dioxin equivalents in tissues of birds at Green Bay, Wisconsin, USA. *Archives of Environmental Contamination and Toxicology*. 24:345–354.
- Jones, M. L., G. W. Eck, D. O. Evans, M. C. Fabrizio, M. H. Hoff, P. L. Hudson, J. Janssen, D. Jude, R. O. O’Gorman, and J. F. Savino, 1995. Limitations to lake trout (*Salvelinus namaycush*) rehabilitation in the Great Lakes imposed by biotic interactions occurring at early life stages. *Journal of Great Lakes Research*. 21(Supplement 1):505–517.
- Jones, D. S., G. W. Suter, and R. N. Hull, 1997. *Toxicological Benchmarks for Screening Contaminants of Potential Concern for Effects on Sediment-Associated Biota: 1997 Revision*. Report Number ES/ER/TM-95/R4. Oak Ridge National Laboratory, Oak Ridge, Tennessee.
- Jonsson, J. C., 1993. Adrenocorticolytic DDT-metabolites: Studies in mink, *Mustela vison* and otter, *Lutra lutra*. *Ecotoxicology*. 2:41–53.
- Jung, R. E. and M. K. Walker, 1997. Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on development of anuran amphibians. *Environmental Toxicology and Chemistry*. 16(2):230–240.
- Kashimoto, T., H. Miyata, S. Kunita, T. C. Tung, S. T. Hsu, K. J. Chang, S. Y. Tang, G. Ohi, J. Nakagawa, and S. Yamamoto, 1981. Role of polychlorinated dibenzofuran in Yusho (PCB poisoning). *Archives of Environmental Health*. 36(6):321–6.
- Kenaga, E. E., 1973. Factors to be considered in the evaluation of the toxicity of pesticides to birds in their environment. In: *Environmental Quality and Safety, Global Aspects of Chemistry, Toxicology and Technology as Applied to the Environment, Vol. 2*. F. Coulston and F. Korte (Eds.) Academic Press, Inc., New York. p. 166–181.
- Kennedy, S. W., A. Lorenzen, and R. J. Norstrom, 1996. Chicken embryo hepatocyte bioassay for measuring cytochrome P4501A-based 2,3,7,8-tetrachlorodibenzo-p-dioxin equivalent concentrations in environmental samples. *Environmental Science & Technology*. 30(2):706–715.
- Kimbrough, R. D., 1995. Polychlorinated biphenyls (PCBs) and human health: An update. *Crit. Rev. Toxicol.* 25(2):133–163.

- Kimbrough, R. D., R. A. Squire, R. E. Linder, J. D. Strandberg, R. J. Montali, and V. W. Burse, 1975. Induction of liver tumors in Sherman strain female rats by polychlorinated biphenyls Aroclor 1260. *Journal of the National Cancer Institute*. 55:1453–1459.
- Kimbrough, R. D., M. L. Doemland, and M. E. LeVois, 1999. Mortality in male and female capacitor workers exposed to polychlorinated biphenyls. *Journal of Occupational and Environmental Medicine*. 41:161–171.
- Kimbrough, R. D. and R. E. Linder, 1974. Induction of adenofibrosis and hepatomas of the liver in BALB/cJ mice by polychlorinated biphenyls (Aroclor 1254). *Journal of the National Cancer Institute*. 53(2):547–552.
- Knight, R. L., F. J. Margraf, and R. F. Carline, 1984. Piscivory by walleyes and yellow perch in western Lake Erie. *Transactions of the American Fisheries Society*. 113:677–693.
- Kociba, R. J., D. G. Keyes, J. E. Beyer, R. M. Carreon, C. E. Wade, D. A. Dittenber, R. P. Kalnins, L. E. Frauson, C. N. Park, S. D. Barnard, R. A. Humel, and C. G. Humiston, 1978. Results of a two-year chronic toxicity and oncogenicity study of 2,3,7,8-tetrachlorodibenzo-p-dioxin in rats. *Toxicology and Applied Pharmacology*. 46(2):279–303.
- Kolok, A. S., J. N. Huckins, J. D. Petty, and J. T. Oris, 1996. The role of water ventilation and sediment ingestion in the uptake of benzo(a)pyrene in gizzard shad (*Dorosoma cepedianum*). *Environmental Toxicology and Chemistry*. 15(10):1752–1759.
- Koopman-Esseboom, C., N. Weisglas-Kuperus, M. A. J. de Ridder, C. G. Van der Paauw, L. G. M. Th. Tuinstra, and P. J. J. Sauer, 1996. Effects of polychlorinated biphenyl/dioxin exposure and feeding type on infants' mental and psychomotor development. *Pediatrics*. 97(5):700–706.
- Kostyniak, P. J., C. Stinson, H. B. Greizerstein, J. Vena, G. Buck, and P. Mendola, 1999. Relation of Lake Ontario fish consumption, lifetime lactation, and parity to breast milk polychlorobiphenyl and pesticide concentrations. *Environmental Research*. 80(2):S166–S174.
- Krieger, K. A., 1992. The ecology of invertebrates in Great Lakes coastal wetlands: Current knowledge and research needs. *Journal of Great Lakes Research*. 18(4):634–650.

- Kubiak, T. J., H. J. Harris, L. M. Smith, T. R. Schwartz, D. L. Stalling, J. A. Trick, L. Sileo, D. E. Docherty, and T. C. Erdman, 1989. Microcontaminants and reproductive impairment of the Forster's tern on Green Bay, Lake Michigan - 1983. *Archives of Environmental Contamination and Toxicology*. 18(5):706-727.
- Kubiak, T. J. and D. A. Best, 1991. *Wildlife Risks Associated with Passage of Contaminated, Anadromous Fish at Federal Energy Regulatory Commission Licensed Dams in Michigan*. Contaminants Program, Division of Ecological Services, East Lansing, Michigan. August 16.
- Kurita, H. and J. P. Ludwig, 1988. Embryonic teratologies and abnormalities assessed in naturally-incubated eggs of double-crested cormorants (*Phalacrocorax auritus*) and Caspian terns (*Hydroprogne caspia*) from Michigan Great Lakes colonies in 1988. In: *Reports to the Michigan Audubon Society on the 1986-1988 Findings of the Michigan Colonial Waterbird Monitoring Project*. Ecological Research Services. December 15. As cited in: Yamashita, N., S. Tanabe, J. P. Ludwig, H. Kurita, M. E. Ludwig and R. Tatsukawa, 1993. Embryonic abnormalities and organochlorine contamination in double-crested cormorants (*Phalacrocorax auritus*) and Caspian terns (*Hydroprogne caspia*) from the upper Great Lakes in 1988. *Environmental Pollution*. 79:169-173.
- Laarman, P. W., W. Willford, and J. Olson, 1976. Retention of mercury in the muscle of yellow perch (*Perca flavescens*) and rock bass (*Ambloplites rupestris*). *Transactions of the American Fisheries Society*. 105:296-300.
- Lake, J. L., R. J. Pruell, and F. A. Osterman, 1992. An examination of dechlorination processes and pathways in New Bedford Harbor sediments. *Marine Environmental Research*. 33:31-47.
- Lamon III, E. C., S. R. Carpenter, and C. A. Stow, 1998. Forecasting PCB concentrations in Lake Michigan salmonids: A dynamic linear model approach. *Ecological Applications*. 8(3):659-668.
- Landis, W. G. and M. H. Yu, 1995. *Introduction to Environmental Toxicology Impacts of Chemicals Upon Ecological Systems*. Lewis Publishers.
- Lanting, C. I., S. Patandin, V. Fidler, N. Weisglas-Kuperus, P. J. J. Sauer, E. R. Boersma, and B. C. L. Touwen, 1998. Neurological condition in 42-month-old children in relation to pre- and postnatal exposure to polychlorinated biphenyls and dioxins. *Early Human Development*. 50:283-292.

- Larson, J. M., W. H. Karasov, L. Sileo, K. L. Stromborg, B. A. Hanbidge, J. P. Giesy, P. D. Jones, D. E. Tillitt, and D. A. Verbrugge, 1996. Reproductive success, developmental anomalies, and environmental contaminants in double-crested cormorants (*Phalacrocorax auritus*). *Environmental Toxicology and Chemistry*. 15(4):553–559.
- Larsson, P., L. Okla, and L. Collvin, 1993. Reproductive status and lipid content as factors in PCB, DDT and HCH contamination of a population of pike (*Esox lucius* L.). *Environmental Toxicology and Chemistry*. 12:855–861.
- Laug, E. P., A. A. Nelson, O. G. Fitzhugh, and F. M. Kunze, 1950. Liver cell alteration and DDT storage in the fat of the rat induced by dietary levels of 1-50 ppm DDT. *J. Pharmacol. Exp. Therap.* 98:268–273.
- Levin, E. D., S. L. Schantz, and R. E. Bowman, 1988. Delayed spatial alteration deficits resulting from perinatal PCB exposure in monkeys. *Archives of Toxicology*. 62:267–273.
- Levine, S. L., J. T. Oris, and T. E. Wissing, 1995. Influence of environmental factors on the physiological condition and hepatic ethoxyresorufin-o-deethylase (EROD) activity of gizzard shad (*Dorosoma cepedianum*). *Environmental Toxicology and Chemistry*. 14(1):123–128.
- Lieb, A. J., D. D. Bills, and R. O. Sinnhuber, 1974. Accumulation of dietary polychlorinated biphenyls (Aroclor 1254) by rainbow trout (*Salmo gairdneri*). *Food Chem.* 22(4).
- Limno-Tech, 1998. *Review of RETEC Fox River Feasibility Study Draft Chapter 5, Section 5.1 "Contaminated Sediment Ranking."* Prepared for the Fox River Group. January 11.
- Lincer, J. L., 1975. DDE-induced eggshell thinning in the American kestrel: A comparison of the field situation and laboratory results. *The Journal of Applied Ecology*. 12:781–793.
- Linscombe, G., N. Kinler, and R. J. Aulerich, 1982. Mink (*Mustela vison*). In: *Wild Mammals of North America: Biology, Management and Economics*. J. A. Chapman and G. A. Feldhamer (Eds.) Johns Hopkins University Press, Baltimore, Maryland. p. 629–643.

- Lockie, J. D., D. A. Ratcliffe, and R. Balharry, 1969. Breeding success and organochlorine residues in golden eagles in West Scotland. *The Journal of Applied Ecology*. 6(3):381–389.
- Loizeau, V. and A. Menesguen, 1993. A steady-state model of PCB accumulation in dab food web. *Oceanologica Acta*. 16:633–640.
- Long, E. R., D. D. MacDonald, S. L. Smith, and F. D. Calder, 1995. Incidence of adverse biological effects with ranges of chemical concentrations in marine and estuarine sediments. *Environmental Management*. 19(1):81–97.
- Long, E. R. and L. G. Morgan, 1990. *The Potential for Biological Effects of Sediment-sorbed Contaminants Tested in the National Status and Trends Program*. NOAA Technical Memorandum NOS OMA 52. United States National Oceanic and Atmospheric Administration, Seattle, Washington.
- Longcore, J. R. and F. B. Samson, 1973. Eggshell breakage by incubating black ducks fed DDE. *Journal of Wildlife Management*. 37(3):390–394.
- Lonky, E., J. Reihman, T. Darvill, S. J. Mather, and H. Daly, 1996. Neonatal behavioral assessment scale performance in humans influenced by maternal consumption of environmentally contaminated Lake Ontario fish. *Journal of Great Lakes Research*. 22(2):198–212.
- Loomis, D., S. R. Browning, A. P. Schenck, E. Gregory, and D. A. Savitz, 1997. Cancer mortality among electric utility workers exposed to polychlorinated biphenyls. *Occupational Environmental Medicine* 54:720–728.
- Lowe, P. T. and R. C. Stendell, 1991. Eggshell modifications in captive American kestrels resulting from Aroclor 1248 in the diet. *Archives of Environmental Contamination and Toxicology*. 20:519–522.
- Ludke, J. L., E. F. Hill, and M. P. Dieter, 1975. Cholinesterase response and related mortality among birds fed cholinesterase inhibitors. *Archives of Environmental Contamination and Toxicology*. 3:1–21.
- Ludwig, J. P., H. Kurita-Matsuba, H. J. Auman, M. E. Ludwig, C. L. Summer, J. P. Giesy, D. E. Tillitt, and P. D. Jones, 1996. Deformities, PCBs, and TCDD-equivalents in double-crested cormorants (*Phalacrocorax auritus*) and Caspian terns (*Hydroprogne caspia*) of the upper Great Lakes 1986–1991: Testing a cause-effect hypothesis. *Journal of Great Lakes Research*. 22(2):172–197.

- Lundholm, E., 1987. Thinning of eggshells of birds by DDE: Mode of action on the eggshell gland. *Comp. Biochem. Physiol.* 88C:1–22.
- Lychwick, T., 2000. Personal communication from Wisconsin Department of Natural Resources regarding the longevity of walleye and other information about the fish of Green Bay and the Lower Fox River below the De Pere Dam.
- Lynch, E. and D. Webb, 1998. Screening for Chemicals of Concern for the Fox River Risk Assessment. Memorandum to Bruce Baker. Wisconsin Department of Natural Resources.
- Mac, M. J., 1988. Toxic substances and survival of Lake Michigan salmonids: Field and laboratory approaches. In: *Toxic Contaminants and Ecosystem Health: A Great Lakes Focus*. M. Evans (Ed.) John Wiley and Sons, New York, New York. p. 389–401.
- Mac, M. J., C. C. Edsall, and J. G. Seelye, 1985. Survival of the lake trout eggs and fry reared in water from the upper Great Lakes. *Journal of Great Lakes Research*. 11(4):520–529.
- Mac, M. J., T. R. Schwartz, C. C. Edsall, and A. M. Frank, 1993. Polychlorinated biphenyls in Great Lakes lake trout and their eggs: Relations to survival and congener composition 1979–1988. *Journal of Great Lakes Research*. 19(4):752–765.
- Mac, M. J. and C. C. Edsall, 1991. Environmental contaminants and the reproductive success of lake trout in the Great Lakes: An epidemiological approach. *Journal of Toxicology and Environmental Health*. 33:375–394.
- Mac, M. and T. Schwartz, 1992. Investigations into the effects of PCB congeners on reproduction in lake trout from the Great Lakes. *Chemosphere*. 25(1–2):189–192.
- Mac, M. J. and J. G. Seelye, 1981. Potential influence of acetone in aquatic bioassays testing the dynamics and effects of PCBs. *Bulletin of Environmental Contamination and Toxicology*. 27:359–367.
- MacDonald, C. R., 1993. Distribution of PCB congeners in seven lake systems: Interactions between sediment and food-web transport. *Environmental Toxicology and Chemistry*. 12:1991–2003.

- MacDonald, D. D., R. S. Carr, F. D. Calder, E. R. Long, and C. G. Ingersoll, 1996. Development and evaluation of sediment quality guidelines for Florida coastal waters. *Ecotoxicology*. 5(4):253–278.
- MacDonald, D. D., L. M. Dipinto, J. Field, C. G. Ingersoll, E. R. Long, and R. C. Swartz, 2000. Development and evaluation of consensus-based sediment effect concentrations for polychlorinated biphenyls. *Environmental Toxicology and Chemistry*. 19(5):1403–1413.
- Mackay, D., W. Y. Shiu, and K. C. Ma, 1992a. *Illustrated Handbook of Physical-Chemical Properties and Environmental Fate for Organic Chemicals Volume I: Monoaromatic Hydrocarbons, Chlorobenzenes, and PCBs*. Lewis Publishers, Chelsea, Michigan.
- Mackay, D., W. Y. Shiu, and K. C. Ma, 1992b. *Illustrated Handbook of Physical-Chemical Properties and Environmental Fate for Organic Chemicals, Volume II: Polynuclear Aromatic Hydrocarbons, Polychlorinated Dioxins, and Dibenzofurans*. Lewis Publishers, Chelsea, Michigan.
- Maddaloni, M., 1998. Personal communication with Mark Maddaloni of the U.S. EPA. He is a member of the Technical Review Work Group for Lead. August 1.
- Magnuson, J. J. and D. L. Smith, 1987. *Food Chain Modeling Needs Obtained Through Stomach Analysis of Walleye and Brown Trout*. Final Report to United States Environmental Protection Agency. University of Wisconsin.
- Maitland, P. S. and N. C. Morgan, 1997. *Conservation Management of Freshwater Habitats: Lakes, Rivers and Wetlands*. Chapman and Hall, London, England. 233 p.
- Major, M. A., D. H. Rosenblatt, and K. A. Bostian, 1991. The octanol/water partition coefficient of methylmercuric chloride and methylmercuric hydroxide in pure water and salt solutions. *Environmental Toxicology and Chemistry*. 10:5–8.
- Manchester-Neesvig, J. B., A. W. Andren, and D. N. Edgington, 1996. Patterns of mass sedimentation and of deposition of sediment contaminated by PCBs in Green Bay. *Journal of Great Lakes Research*. 22(2):444–462.
- Markert, B. E., 1978. *The Distribution and Abundance of Benthic Invertebrates in Green Bay, Lake Michigan from 1938–1978, with Special Reference to Long-term Water Quality Changes*. Institute of Paper Chemistry, Appleton, Wisconsin.

- Mason, D. M. and S. B. Brandt, 1996. Effect of alewife predation on survival of larval yellow perch in an embayment of Lake Ontario. *Canadian Journal of Fisheries and Aquatic Sciences*. 53:1609–1617.
- Masuda, Y., 1994. The Yusho rice oil poisoning incident. In: *Dioxins and Health*. A. Schecter (Ed.) Plenum, New York. p. 633–659.
- Matilainen, T., M. Verta, M. Niemi, and A. UUSI-Rauva, 1991. Specific rates of net methylmercury production in lake sediments. *Water, Air, and Soil Pollution*. 56:595–605.
- Matteson, S. W., 1988. *Wisconsin Common Tern Recovery Plan*. Wisconsin Endangered Resources Report 41. Wisconsin Department of Natural Resources, Bureau of Endangered Resources, Madison, Wisconsin. June.
- Matteson, S. W., 1998. Personal communication of Sumner Matteson, Wisconsin Department of Natural Resources, with Linda Mortensen, ThermoRetec, regarding double-crested cormorant population levels. October.
- Matteson, S. W., P. W. Rasmussen, K. Stromborg, T. I. Meier, J. V. Stappen, and E. Nelson, 1998. *Changes in the Status, Distribution, and Management of Double-crested Cormorants in Wisconsin*. Wisconsin Department of Natural Resources, Bureau of Endangered Resources, Madison, Wisconsin. August 15.
- Matthews, H. B. and M. W. Anderson, 1975. Effect of chlorination on the distribution and excretion of polychlorinated biphenyls. *Drug Metab. Dispos.* 3(5):371–380.
- Mauck, W. L., P. M. Mehrle, and F. L. Mayer, 1978. Effects of the polychlorinated biphenyl Aroclor 1254 on growth, survival, and bone development in brook trout (*Salvelinus fontinalis*). *Journal of the Fisheries Research Board of Canada*. 35:1084–1088.
- Mayer, F. L., P. M. Mehrle, and H. O. Sanders, 1977. Residue dynamics and biological effects of polychlorinated biphenyls in aquatic organisms. *Archives of Environmental Contamination and Toxicology*. 5:501–511.
- Mayer, K. S., F. L. Mayer, and A. J. Witt, 1985. Waste transformer oil and PCB toxicity to rainbow trout. *Transactions of the American Fisheries Society*. 114:869–886.

- McAllister, L. S., 1991. Factors Influencing the Distribution of Submerged Macrophytes in Green Bay, Lake Michigan: A Focus on Light Attenuation and *Vallisneria americana*. Master of Science Thesis. University of Wisconsin-Green Bay, Green Bay.
- McClain, R. M., 1989. The significance of hepatic microsomal enzyme induction and altered thyroid function in rats: Implications for thyroid gland neoplasia. *Toxicol. Pathol.* 17:294–306.
- McFarland, V. A. and J. U. Clarke, 1989. Environmental occurrence, abundance, and potential toxicity of polychlorinated biphenyl congeners: Considerations for a congener-specific analysis. *Environmental Health Perspectives.* 81:225–39.
- McGregor, D. B., C. Partensky, J. Wilbourn, and J. M. Rice, 1998. An IARC evaluation of polychlorinated dibenzo-p-dioxins and polychlorinated dibenzofurans as risk factors in human carcinogenesis. *Environmental Health Perspectives Supplements.* 106(April):2.
- McKim, J. M., G. F. Olson, G. W. Holcombe, and E. P. Hunt, 1976. Long-term effects of methylmercuric chloride on three generations of brook trout (*Salvelinus fontinalis*): Toxicity, accumulation, distribution, and elimination. *Journal of the Fisheries Research Board of Canada.* 33(12):2726–2739.
- McKim, J., P. Schmieder, and G. Veith, 1985. Absorption dynamics of organic chemical transport across trout gills as related to octanol-water partition coefficient. *Toxicology and Applied Pharmacology.* 77:1–10.
- McLane, M. A. and D. L. Hughes, 1980. Reproductive success of screech owls fed Aroclor 1248. *Archives of Environmental Contamination and Toxicology.* 9(6):661–5.
- McMurtry, M. J., D. L. Wales, W. A. Scheider, G. L. Beggs, and P. E. Dimond, 1989. Relationship of mercury concentrations in lake trout (*Salvelinus namaycush*) and smallmouth bass (*Micropterus dolomieu*) to the physical and chemical characteristics of Ontario lakes. *Canadian Journal of Fisheries and Aquatic Sciences.* 46:426–434.
- MDNR, 2000. Peregrine Falcon. Michigan Department of Natural Resources, Wildlife Division. Internet Publication. Website: <http://www.dnr.state.mi.us/wildlife/species/indices/peregrine.html>.

- Meili, M., 1991. The coupling of mercury and organic matter in the biogeochemical cycle - Towards a mechanistic model for the boreal forest zone. *Water, Air, and Soil Pollution*. 56:333–347.
- Meili, M., A. Iverfeldt, and L. Hakanson, 1991. Mercury in the surface water of Swedish forest lakes - Concentrations, speciation and controlling factors. *Water, Air, and Soil Pollution*. 56:439–453.
- Menzie C. M. H. Henning, J. Cura, K. Finkelstein, J. Gentile, J. Maughn, D. Mitchell, S. Petron, B. Potocki, S. Svirsky, and P. Tyler, 1996. Special report of the Massachusetts weight-of-evidence workshop: A weight-of-evidence approach for estimating ecological risks. *Human and Ecological Risk Assessment*. 6:181–201.
- Meyer, M. W., D. C. Evers, T. Daulton, and W. E. Braselton, 1995. Common loons (*Gavia immer*) nesting on low pH lakes in northern Wisconsin have elevated blood mercury content. *Water, Air, and Soil Pollution*. 80:871–880.
- Meyers, G., D. Marsh, C. Cox, P. Davidson, E. Cernichiari, T. Clarkson, O. Choisy, and C. Shamlaye, 1994. Enrollment and neurodevelopment at 6 months. Abstract of the Twelfth International Neurotoxicology Conference. *Neurotoxicology*. 44:1017–1022.
- Michaletz, P. H., 1997. Influence of abundance and size of age-0 gizzard shad on predator diets, diets overlap, and growth. *Transactions of the American Fisheries Society*. 126:101–111.
- Mills, E. L., R. O’Gorman, E. F. Roseman, C. Adams, and R. W. Owens, 1995. Planktivory by alewife (*Alosa pseudoharengus*) and rainbow smelt (*Osmerus mordax*) on microcrustacean zooplankton and dreissenid (*Bivalvia dreissenidae*) in southern Lake Ontario. *Canadian Journal of Fisheries and Aquatic Sciences*. 52(2):925–935.
- Minc, L. D. and D. A. Albert, 1998. *Great Lakes Coastal Wetlands: Abiotic and Floristic Characterization*. Michigan Natural Features Inventory, Ann Arbor, Michigan. 15 p.
- Montgomery, J. H., 1996. *Groundwater Chemicals Desk Reference*. Lewis Publishers, Boca Raton, Florida.

- Moore, D. R. J., B. E. Sample, G. W. Suter, B. R. Parkhurst, and R. S. Teed, 1999. A probabilistic risk assessment of the effects of methylmercury and PCBs on mink and kingfishers along the East Fork Poplar Creek, Oak Ridge, Tennessee, USA. *Environmental Toxicology and Chemistry*. 18(12):2941–2953.
- Mora, M. A., H. J. Auman, J. P. Ludwig, J. P. Giesy, D. A. Verbrugge, and M. E. Ludwig, 1993. Polychlorinated biphenyls and chlorinated insecticides in plasma of Caspian terns: Relationships with age, productivity, and colony site tenacity in the Great Lakes. *Archives of Environmental Contamination and Toxicology*. 24:320–331.
- Morgan, R. W., J. M. Ward, and P. E. Hartman, 1981. Aroclor 1254 induced intestinal metaplasia and adenocarcinoma in the glandular stomach of F344 rats. *Cancer Research*. 41:5052–5059.
- Morrison, H. A., F. A. P. C. Gobas, R. Lazar, and G. D. Haffner, 1996. Development and verification of a bioaccumulation model for organic contaminants in benthic invertebrates. *Environmental Science & Technology*. 30(11):3377–3384.
- Morrison, H. A., F. A. P. C. Gobas, R. Lazar, D. M. Whittle, and G. D. Haffner, 1997. Development and verification of a benthic/pelagic food web bioaccumulation model for PCB congeners in western Lake Erie. *Environmental Science & Technology*. 31(11):3267–3273.
- Morton, W., G. Starr, D. Pohl, J. Stoner, S. Wagner, and P. Weswig, 1976. Skin cancer and water arsenic in Lane County, Oregon. *Cancer*. 37:2523–2532.
- Mossman, M. J., 1988. *Wisconsin Forster's Tern Recovery Plan*. Wisconsin Endangered Resources Report 42. Wisconsin Department of Natural Resources, Bureau of Endangered Resources, Madison, Wisconsin. June.
- Muth, K. M. and W. D. N. Busch, 1989. Food of forage fishes in western Lake Erie, 1975–76. *Journal of Great Lakes Research*. 15(2):217–222.
- Nagy, K. A., 1987. Field metabolic rate and food requirement scaling in mammals and birds. *Ecological Monographs*. 57(2):111–128.
- NASS, 2000. *Mink*. United States Department of Agriculture, National Agricultural Statistics Service. 8 p.

- NCI, 1978. *Bioassays of DDT, TDE, and p,p'-DDE for Possible Carcinogenicity*. Technical Report NCI Report No. 131. DHEW Publ. No. (NIH) 78-1386. National Cancer Institute and the United States Department of Health, Education, and Welfare.
- Neff, J. M., D. J. Bean, B. W. Cornaby, R. M. Vaga, T. C. Gulbransen, and J. A. Scanlon, 1986. *Sediment Quality Criteria Methodology Validation: Calculation of Screening Level Concentrations from Field Data*. Final Report. United States Environmental Protection Agency, Washington, D.C.
- Nelson, T. A., 1998. Correspondence between Thomas Nelson, Oneida Tribe, and Dave Webb, Wisconsin Department of Natural Resources, dated December 23, 1998 regarding fish in the Duck Creek and Suamico tributaries.
- Newell, A., D. W. Johnson, and L. Allen, 1987. *Niagara River Biota Contamination Project: Fish Flesh Criteria for Piscivorous Wildlife*. NYS DEC Technical Report 87-3.
- Newsted, J. L., J. P. Giesy, G. T. Ankley, D. E. Tillitt, R. A. Crawford, J. W. Gooch, P. D. Jones, and M. S. Denison, 1995. Development of toxic equivalency factors for PCB congeners and the assessment of TCDD and PCB mixtures in rainbow trout. *Environmental Toxicology and Chemistry*. 14(5):861–871.
- Ney, J. J., 1978. General considerations: A synoptic review of yellow perch and walleye biology. *American Fisheries Society Special Publication*. 11:1–12.
- Nice, M. M., 1938. The biological significance of bird weights. *Bird Banding*. 9(1):1–11.
- Nicholson, J. K. and D. Osborn, 1984. Kidney lesions in juvenile starlings (*Sturunis vulgaris*) fed in a mercury-contaminated synthetic diet. *Environmental Pollution (Series A)*. 33:195–206.
- Niimi, A. J., 1996. Chapter 5: PCBs in aquatic organisms. In: *Environmental Contaminants in Wildlife*. W. N. Beyer (Ed.) Lewis Publishers, Boca Raton, Florida. p. 117–152.
- Niimi, J. and B. G. Oliver, 1983. Biological half-lives of polychlorinated biphenyl (PCB) congeners in whole fish and muscle of rainbow trout. *Canadian Journal of Aquatic Sciences*. 40:1388–1394.

- Nikolai, R., 1998. Personal communication regarding waterfowl surveys from 1975 through 1998.
- Nikolai, R., 2000. Personal communication from Wisconsin Department of Natural Resources regarding various aspects of the biological and ecological aspects of the Lower Fox River and Green Bay system. June 22.
- NOAA, 1997. Western Lake Michigan Environmental Sensitivity Index Metadata. Data compiled in 1997 and e-mailed to Stephen Jesse of ThermoRetec on October 27. National Oceanic and Atmospheric Administration, Seattle, Washington.
- NOAA, 1999. Electronic GIS metadata file set of bird and fish habitat distribution in Green Bay. Western Lake Michigan Sensitivity Index. Data compiled in 1997, e-mailed to Anne Fitzpatrick of ThermoRetec in 1999.
- Norback, D. H. and R. H. Weltman, 1985. Polychlorinated biphenyl induction of hepatocellular carcinoma in the Sprague-Dawley rat. *Environmental Health Perspectives*. 60:97–105.
- Nortier, J. W., B. Sangster, and R. G. V. Kestern, 1980. Acute lead poisoning with hemolysis and liver toxicity after ingestion of red lead. *Vet. Hum. Toxicol.* 22:145–147.
- NRC, 2001. *A Risk Management Strategy for PCB-Contaminated Sediments*. National Research Council, National Academy of Sciences, Committee on Remediation of PCB-Contaminated Sediments. National Academy Press, Washington, D.C.
- NTP, 1983. *Carcinogenesis Studies of Polybrominated Biphenyl Mixture (Firemaster FF1) (CAS No. 67774 32 7) in F344/N Rats and B6C3F1 Mice (Gavage Studies)*. NTP Tech. Rep. Ser. No. 244. National Toxicology Program, Research Triangle Park, North Carolina.
- Oakley, G. G., U. Devanaboyina, L. W. Robertson, and R. C. Gupta, 1996. Oxidative DNA damage induced by activation of polychlorinated biphenyls (PCBs): Implications for PCB-induced oxidative stress in breast cancer. *Chem. Res. Toxicol.* 9(8):1285–1292.

- Odin, M., A. Feurtet-Mazel, F. Ribeyre, and A. Boudou, 1995. Temperature, pH and photoperiod effects on mercury bioaccumulation by nymphs of the burrowing mayfly (*Hexagenia rigida*). *Water, Air, and Soil Pollution*. 80:1003–1006.
- Offenberg, J. H. and J. E. Baker, 2000. PCBs and PAHs in Southern Lake Michigan in 1994 and 1995: Urban atmospheric influences and long-term declines. *Journal of Great Lakes Research*. 26(2):196–208.
- O’Gorman, R., 1974. Predation by rainbow smelt (*Osmerus mordax*) on young-of-the-year alewives (*Alosa pseudoharengus*) in the Great Lakes. *The Progressive Fish-Culturist*. 36(4):223–224.
- Olafsson, P. G., A. M. Bryan, B. Bush, and W. Stone, 1983. Snapping turtles: A biological screen for PCBs. *Chemosphere*. 12:1525–1532.
- Oliver, B. G. and A. J. Niimi, 1988. Trophodynamic analysis of polychlorinated biphenyl congeners and other chlorinated hydrocarbons in the Lake Ontario ecosystem. *Environmental Science & Technology*. 22(4):388–397.
- Palmer, R. S., 1988. Bald Eagle - *Haliaeetus leucocephalus* (Linnaeus). In: *Handbook of North American Birds, Vol. 4*. R. S. Palmer (Ed.) Yale University Press, New Haven, Connecticut. p. 187–237.
- Pao, E. M., K. H. Fleming, P. M. Guenther, and S. J. Mickle, 1982. *Foods Commonly Eaten by Individuals: Amount per Day and per Eating Occasion*. Home Economics Report No. 44. United States Department of Agriculture.
- Parkerton, T. F., 1993. Do aquatic effects or human health end points govern the development of sediment-quality criteria for nonionic organic chemicals? *Environmental Toxicology and Chemistry*. 12:507–523.
- Patandin, S., C. I. Lanting, P. G. H. Mulder, E. R. Boersma, P. J. J. Sauer, and N. Weisglas-Kuperus, 1999. Effects of environmental exposure to polychlorinated biphenyls and dioxins on cognitive abilities in Dutch children at 42 months of age. *Journal of Pediatrics*. 134:33–41.
- Patnode, K., 1998. Personal communication with Kathy Patnode of the Wisconsin Department of Natural Resources by Tim Thompson of ThermoRetec regarding mink populations in the Lower Fox River and confirming data from a Sergeant paper faxed March 8, 1996.

- Peakall, D., 1993. *Animal Biomarkers as Pollution Indicators*. Chapman and Hall, London, England.
- Peakall, D. B., 1996. Chapter 3: Dieldrin and other cyclodiene pesticides in wildlife. In: *Environmental Contaminants in Wildlife*. W. N. Beyer (Ed.) Lewis Publishers, Boca Raton, Florida. p. 73–97.
- Peakall, D. B., J. L. Lincer, and S. E. Bloom, 1972. Embryonic mortality and chromosomal alterations caused by Aroclor 1254 in ring doves. *Environmental Health Perspectives*. (4):103–104.
- Peakall, D. B. and J. L. Lincer, 1996. Do PCBs cause eggshell thinning? *Environmental Pollution*. 91(1):127–129.
- Peakall, D. B. and M. L. Peakall, 1973. Effect of a polychlorinated biphenyl on the reproduction of artificially and naturally incubated dove eggs. *The Journal of Applied Ecology*. 10:863–868.
- Pedrajas, J. R., F. Gavilanes, B. J. Lopez, and J. Peinado, 1998. Incubation of superoxide dismutase with malondialdehyde and 4-hydroxy-2-nonenal forms new active isoforms and adducts: An evaluation of xenobiotics in fish. *Chemical and Biological Interactions*. 116:1–2.
- Pelka, A., 1998. Bioaccumulation models and applications: Setting sediment cleanup goals in the Great Lakes. *Proceedings of the National Sediment Bioaccumulation Conference*. 5-9–5-30.
- Pennsylvania Game Commission, 1998. Personal communication with M. Shockey (Pennsylvania Game Commission) by C. Traynor of ThermoRetec. September 24.
- Persuad, D., R. Jaagumagi, and A. Hayton, 1993. *Guidelines for the Protection and Management of Aquatic Sediment Quality in Ontario*. Ontario Ministry of the Environment. June.
- Peterson, D., M. Kanarek, M. Kuykendall, J. Diedrich, H. Andersen, P. Remington, and T. Sheffy, 1994. Fish consumption patterns and blood mercury levels in Wisconsin Chippewa Indians. *Archives of Environmental Health*. 49:53–58.

- Phillips, D. L., A. B. Burse, G. K. Steele, L. L. Needham, and W. H. Hannon, 1989. Half-life of PCBs in occupationally exposed workers. *Archives of Environmental Health*. 44(6):351–354.
- Platonow, N. S. and L. H. Karstad, 1973. Dietary effects of polychlorinated biphenyls on mink. *Canadian Journal of Comparative Medicine*. 37:391–400.
- Potts, R. and R. Guy, 1992. Predicting skin permeability. *Pharmacol. Research*. 9(5):663–669.
- Price, J. W., 1963. A study of the food habits of some Lake Erie fish. *Bulletin of the Ohio Biological Survey*. 2(1).
- Proulx, G., D. V. Weseloh, J. E. Elliott, S. Teeple, P. A. Anghern, and P. Mineau, 1987. Organochlorine and PCB residues in Lake Erie mink populations. *Bulletin of Environmental Contamination and Toxicology*. 39(6):939–44.
- Raghunathan, R. K., 1994. The Development and Calibration of Coupled Sorbent-Toxics Model for PCBs in Green Bay, Lake Michigan. Ph.D. Dissertation. State University of New York-Buffalo.
- Rao, C. V. and A. S. Banerji, 1988. Induction of liver tumors in male Wistar rats by feeding polychlorinated biphenyls (Aroclor 1260). *Cancer Letters*. 39:59–67.
- Restum, J. C., S. J. Bursian, J. P. Giesy, J. A. Render, W. G. Helferich, E. B. Shipp, and D. A. Verbrugge, 1998. Multigenerational study of the effects of consumption of PCB-contaminated carp from Saginaw Bay, Lake Huron, on mink: I. Effects on mink reproduction, kit growth and survival, and selected biological parameters. *Journal of Toxicology and Environmental Health, Part A*. 54:343–375.
- RETEC, 1998a. *Quality Assurance Project Plan for Supplemental Data Collection, Fox River RI/FS (QAPP)*. Prepared for Wisconsin Department of Natural Resources by Remediation Technologies, Inc. (RETEC).
- RETEC, 1998b. *Screening Level Human Health and Ecological Risk Assessment: Lower Fox River Site, Wisconsin*. Prepared for Wisconsin Department of Natural Resources by Remediation Technologies, Inc., Seattle, Washington. June 15.

- RETEC, 2002a. *Final Remedial Investigation: Lower Fox River and Green Bay, Wisconsin, Remedial Investigation and Feasibility Study*. Prepared for Wisconsin Department of Natural Resources by The RETEC Group, Inc., St. Paul, Minnesota. December.
- RETEC, 2002b. *Review of Natural PCB Degradation Processes in Sediments*. Prepared for Wisconsin Department of Natural Resources by The RETEC Group, Inc., Pittsburgh, Pennsylvania. December.
- RETEC, 2002c. *Model Documentation Technical Report for the Lower Fox River and Green Bay*. Prepared for Wisconsin Department of Natural Resources by The RETEC Group, Inc., Seattle, Washington. December.
- RETEC, 2002d. *FRFood Users Guide*. Prepared by The RETEC Group, Inc. for the Wisconsin Department of Natural Resources, Madison, Wisconsin. December.
- RETEC, 2002e. *FRFood Model Documentation Memorandum*. Prepared for Wisconsin Department of Natural Resources by The RETEC Group, Inc., Seattle, Washington. December.
- Rezabeck, C., 1998. Personal communication from Wisconsin Department of Natural Resources regarding bird and bat studies in the Lower Fox River region. September 23.
- Robinson, J., V. K. H. Brown, A. Richardson, and M. Roberts, 1967. Residues of dieldrin (HEOD) in the tissues of experimentally poisoned birds. *Life Sciences*. 6(11):1207–1220.
- Rogan, W. J., B. C. Gladen, J. D. McKinney, N. Carreras, P. Hardy, J. Thullen, J. Tingelstad, and M. Tully, 1986. Polychlorinated biphenyls (PCBs) and dichlorodiphenyl dichloroethene (DDE) in human milk: Effects of maternal factors and previous lactation. *American Journal of Public Health*. 76(2):172–7.
- Rogan, W. J., B. C. Gladen, K. Hung, S. Koong, L. Shih, J. S. Taylor, Y. Wu, D. Yang, N. B. Ragan, and C. Hsu, 1988. Congenital poisoning by polychlorinated biphenyls and their contaminants in Taiwan. *Science*. 241:334–336.
- Rogan, W. J. and B. C. Gladen, 1985. Study of human lactation for effects of environmental contaminants: The North Carolina breast milk and formula project and some other ideas. *Environmental Health Perspectives*. 60:215–221.

- Rom, W. N., 1976. Effects of lead on female reproduction: A review. *Mt. Sinai Journal of Medicine*. 43:542–552.
- Roseman, E. F., 1996. Evaluation of competition between age-0 yellow perch (*Perca flavescens*) and gizzard shad (*Dorosoma cepedianum*) in Oneida Lake, New York. *Canadian Journal of Fisheries and Aquatic Sciences*. 53:865–874.
- Rothman, N., K. P. Cantor, A. Blair, D. Bush, J. W. Brock, K. Helzlsouer, S. H. Zahm, L. L. Needham, G. R. Pearson, R. N. Hoover, G. W. Comstock, and P. T. Strickland, 1997. A nested case-control study of non-Hodgkin lymphoma and serum organochlorine residues. *Lancet*. 350:240–244.
- Russell, R. W., F. A. P. C. Gobas, and G. D. Haffner, 1998. Maternal transfer and in ovo exposure of organochlorines in oviparous organisms: A model and field verification. *Environmental Science & Technology*. 33(3):416–420.
- Ryder, R. A. and S. R. Kerr, 1978. The adult walleye in the percid community: A niche definition based on feeding behaviour and food specificity. *American Fisheries Society Special Publication*. 11:39–51.
- Safe, S., 1990. Polychlorinated biphenyls (PCBs), dibenzo-p-dioxins (PCDDs), dibenzofurans (PCDFs), and related compounds: Environmental and mechanistic considerations which support the development of toxic equivalency factors (TEFs). *Toxicology*. 21(1):51–88.
- Safe, S., 1991. Polychlorinated dibenzo-p-dioxins and related compounds: Sources, environmental distribution and risk assessment. *Environmental Carcino. & Ecotox. Revs.* C9(2):261–302.
- Sager, P. E., 1986. Update on trophic status of the bay - Trends, 1970–1985. *The Proceedings of the 1986 Green Bay/Fox River Research Symposium, March 24–25, 1986*. Sponsored by the UWSGI, WDNR, and Brown County Neville Public Museum. 47 p.
- Sager, P. E. and S. Richman, 1991. Functional interaction of phytoplankton and zooplankton along the trophic gradient in Green Bay, Lake Michigan. *Canadian Journal of Fisheries and Aquatic Sciences*. 48:116–122.
- SAIC, 1995. *Fish Consumption Estimates Based on the 1991–1992 Michigan Sport Anglers Fish Consumption Survey*. EPA Contract Number 68-C4-0046 Work Assignment 0-4. Prepared by Science Applications International Corporation for United States Environmental Protection Agency.

- Sample, B. E., D. M. Opresko, and G. W. Suter, 1996. *Toxicological Benchmarks for Wildlife: 1996 Revision*. ES/ER/TM-86/R3. Prepared for the United States Department of Energy. p. 5–6.
- Sample, B. E. and G. W. Suter, 1999. Ecological risk assessment in a large river-reservoir: 2. Piscivorous wildlife. *Environmental Toxicology and Chemistry*. 18(4):610–620.
- Schaeffer, E., H. Greim, and W. Goessner, 1984. Pathology of chronic polychlorinated biphenyl (PCB) feeding in rats. *Toxicology and Applied Pharmacology*. 75:278–288.
- Schantz, S. L., E. D. Levin, and R. E. Bowman, 1989. Effects of perinatal PCB exposure on discrimination-reversal learning in monkeys. *Neurotox. Teratol.* 11:243–250.
- Schantz, S. L., E. D. Levin, and R. E. Bowman, 1991. Long-term neurobehavioral effects of perinatal polychlorinated biphenyl exposure in monkeys. *Environmental Toxicology and Chemistry*. 10(6):747–756.
- Schantz, S. L., A. M. Sweeney, J. C. Gardiner, H. E. Humphrey, R. J. McCaffrey, D. M. Gasior, K. R. Srikanth, and M. L. Budd, 1996. Neuropsychological assessment of an aging population of Great Lakes fish-eaters. *Toxicology and Industrial Health*. 12(3–4):403–417.
- Schantz, S. L., J. C. Gardiner, D. M. Gasior, K. R. Srikanth, H. E. B. Humphrey, and R. J. McCaffrey, 1997. Fine motor function in aging Great Lakes fish-eaters. *Health Conference '97 Great Lakes and St. Lawrence*. Montreal, Quebec, Canada.
- Schantz, S., J. C. Gardiner, D. M. Gasior, A. M. Sweeney, H. E. B. Humphrey, and R. J. McCaffrey, 1999. Motor function in aging Great Lakes fish-eaters. *Environmental Research*. 80(February):S46–S56.
- Scheuhammer, A. M., 1987. The chronic toxicity of aluminum, cadmium, mercury, and lead in birds: A review. *Environmental Pollution*. 46:263–295.
- Schneeberger, P., 1999. Personal communication from Michigan Department of Natural Resources regarding fish spawning areas in northern Green Bay. December 28.

- Schneeberger, P., 2000. Personal communication from Michigan Department of Natural Resources regarding water characteristics and fish of northern Green Bay. January 25.
- Schrauzer, G. N., D. A. White, J. E. McGinness, C. J. Schneider, and L. J. Bell, 1978. Arsenic and cancer: Effects of joint administration of arsenite and selenite on the genesis of mammary adenocarcinoma in inbred female C3H/ST mice. *Bioorg. Khim.* 9:245–253.
- Scott, W. B. and E. J. Crossman, 1973. *Freshwater Fishes of Canada*. Bulletin 184. Fisheries Research Board of Canada, Ottawa, Canada.
- SCS, 1978. *Soil Survey of Door County, Wisconsin*. United States Department of Agriculture.
- Selgeby, J. H., W. R. MacCallum, and D. V. Swedberg, 1978. Predation by rainbow smelt (*Osmerus mordax*) on lake herring (*Coregonus artedii*) in Western Lake Superior. *Journal of the Fisheries Research Board of Canada*. 35:1457–1463.
- Shain, W., B. Bush, and R. Seegal, 1991. Neurotoxicity of polychlorinated biphenyls: Structure-activity relationship of individual congeners. *Toxicology and Applied Pharmacology*. 111:33–42.
- Shepherd, W. C. and E. L. Mills, 1996. Diel feeding, daily food intake, and Daphnia consumption by age-0 gizzard shad in Oneida Lake, New York. *Transactions of the American Fisheries Society*. 125:411–421.
- Silberhorn, E. M., H. P. Glauert, and L. W. Robertson, 1990. Carcinogenicity of polyhalogenated biphenyls: PCBs and PBBs. *Crit. Rev. Toxicol.* 20(6):439–496.
- Silver, A. S. and P. L. Wainman, 1952. Chronic arsenic poisoning following use of an asthma remedy. *Journal of the American Medical Association*. 150:584.
- Sinks, T., G. Steele, A. B. Smith, K. Watkins, and R. A. Shults, 1992. Mortality among workers exposed to polychlorinated biphenyls. *Am. J. Epidemiol.* 136(4):389–398.
- Sittig, M., 1991. *Handbook on Toxic and Hazardous Chemicals and Carcinogens*. Noyes Publications. Park Ridge, New Jersey.

- Smith, B. J., 1984. *PCB Levels in Human Fluids: Sheboygan Case Study*. Technical Report WIS-SG-83-240. University of Wisconsin, Sea Grant Institute, Madison, Wisconsin.
- Smith, D. W., 2000. Analysis of rates of decline of PCBs in different Lake Superior media. *Journal of Great Lakes Research*. 26(2):152–163.
- Smith, P. L., R. A. Ragotzkie, R. A. W. Andren, and H. J. Harris, 1988. Estuary rehabilitation: The Green Bay story. *Oceanus*. 31(3):12–20.
- Smith, S. L., D. D. MacDonald, K. A. Keenleyside, C. G. Ingersoll, and L. J. Field, 1996. A preliminary evaluation of sediment quality assessment values for freshwater ecosystems. *Journal of Great Lakes Research*. 22(3):624–638.
- Stachiw, N. C., M. E. Zabik, A. M. Booren, and M. J. Zabik, 1988. Tetrachlorodibenzo-p-dioxin residue reduction through cooking/processing of restructured carp fillets. *J. Agric. Food Chem.* 36:848–852.
- Stalmaster, M. V. and J. A. Gessaman, 1984. Ecological energetics and foraging behaviors of overwintering bald eagles. *Ecol. Monogr.* 54:407–428.
- Stauffer, T. M., 1979. Effects of DDT and PCBs on survival of lake trout eggs and fry in a hatchery and in Lake Michigan, 1973–1976. *Transactions of the American Fisheries Society*. 108:178–186.
- Stedman, R. and R. Argyle, 1985. Rainbow smelt (*Osmerus mordax*) as predators on young bloaters (*Coregonus hoyi*) in Lake Michigan. *Journal of Great Lakes Research*. 11(1):40–42.
- Steele, G., P. Stehr-Green, and E. Welty, 1986. Estimates of the biological half-life of PCBs in human serum. *New England Journal of Medicine*. 314(14):926–927.
- Stewart, P., T. Darvill, E. Lonky, J. Reihman, J. Pagano, and B. Bush, 1999. Assessment of prenatal exposure to PCBs from maternal consumption of Great Lakes fish: An analysis of PCB patterns and concentration. *Environmental Research. Feb.* 80(2 PART 2):S87–S96.
- Stickel, W. H., L. F. Stickel, and J. W. Spann, 1969. Tissue residues of dieldrin in relation to mortality in birds and mammals. In: *Chemical Fallout - Current Research on Persistent Pesticides*. M. W. Miller and G. G. Berg (Eds.) Charles C. Thomas Publishers, Illinois. p. 174–204.

- Stiller, D., 1998. *A Multitude of Fishes: A Century of Fishing on Green Bay*. Alt Publishing Co., Green Bay, Wisconsin.
- Stotz, I. J. and Y. A. Greichus, 1978. The effects of a polychlorinated biphenyl Aroclor 1254 on the white pelican: Ultrastructure of hepatocytes. *Bulletin of Environmental Contamination and Toxicology*. 19(3):319–325.
- Stratus Consulting, 1999a. *Pathway Determination for the Lower Fox River/Green Bay Natural Resource Damage Assessment*. Prepared for United States Fish and Wildlife Service by Stratus Consulting, Inc.
- Stratus Consulting, 1999b. *Injuries to Fisheries Resources, Lower Fox River/Green Bay Natural Resources Damage Assessment*. Prepared for United States Fish and Wildlife Service by Stratus Consulting, Inc.
- Stratus Consulting, 1999c. *Injuries to Avian Resources, Lower Fox River/Green Bay Natural Resource Damage Assessment*. Prepared for United States Fish and Wildlife Service by Stratus Consulting, Inc.
- Struger, J. and D. V. Weseloh, 1985. Great Lakes Caspian terns: Egg contaminants and biological implications. *Colonial Waterbirds*. 8(2):142–149.
- Stubenvoll, S., 1998. Eagle and Osprey Nests. Memorandum to George Boronow of Wisconsin Department of Natural Resources. April 17.
- Sullivan, J. R. and J. J. Delfino, 1982. *A Select Inventory of Chemicals Used in Wisconsin's Lower Fox River Basin*. WIS-SG-82-238. University of Wisconsin, Sea Grant Institute. 176 p.
- Surber, E. W. and H. L. Cooley, 1952. *Bottom Fauna Studies of Green Bay, Wisconsin in Relation to Pollution*. United States Public Health Service and Wisconsin Committee on Water Pollution. 7 p.
- Suter, G. W., 1993. Exposure. In: *Ecological Risk Assessment*. Lewis Publishers, Boca Raton, Florida. p. 153–172.
- Suter, G. W., L. W. Bartnhouse, R. A. Efroymson, and H. Jager, 1999. Ecological risk assessment in a large river-reservoir: 2. Fish community. *Environmental Toxicology and Chemistry*. 18(4):589–598.

- Szymanski, S., 1998. Personal communication from Wisconsin Department of Natural Resources regarding clam/mussel beds in the Lower Fox River. September 28.
- Szymanski, S., 2000. Personal communication from Wisconsin Department of Natural Resources regarding zebra mussels and wetlands in the Lower Fox River and Green Bay. June 22.
- Temple, S. A., J. R. Cary, and R. Rolley, 1997. *Wisconsin Birds: A Seasonal and Geographical Guide*. The University of Wisconsin Press, Madison, Wisconsin.
- ThermoRetec, 1999. *Baseline Human Health and Ecological Risk Assessment: Lower Fox River, Wisconsin (BLRA)*. Project No. 3-3584. Prepared by ThermoRetec Consulting Corporation for Wisconsin Department of Natural Resources, Madison, Wisconsin. February 24.
- Thomann, R. V., 1989. Bioaccumulation model of organic chemical distribution in aquatic food chains. *Environmental Science & Technology*. 23(6):699–707.
- Thomann, R. V., J. P. Connolly, and T. F. Parkerton, 1992. An equilibrium model of organic chemical accumulation in aquatic food webs with sediment interaction. *Environmental Toxicology and Chemistry*. 11:615–629.
- Thomann, R. V. and J. P. Connolly, 1984. Model of PCB in the Lake Michigan lake trout food chain. *Environmental Science & Technology*. 18(2):65–71.
- Tietge, J., R. D. Johnson, K. M. Jensen, P. M. Cook, G. E. Elonen, J. D. Fernandez, G. W. Holcombe, D. B. Lothenbach, and J. W. Nichols, 1998. Reproductive toxicity and disposition of 2,3,7,8-tetrachlorodibenzo-p-dioxin in adult brook trout (*Salvelinus fontinalis*) following a dietary exposure. *Environmental Toxicology and Chemistry*. 17(12):2395–2407.
- Tilden, J., L. P. Hanrahan, H. Anderson, C. Palit, J. Olson, W. MacKenzie, and Great Lakes Sport Fish Consortium, 1997. Health advisories for consumers of Great Lakes sport fish: Is the message being received? *Environmental Health Perspectives*. 105(12):1360–1365.
- Tillitt, D. E., J. P. Giesy, and G. T. Ankley, 1991a. Characterization of the H4IIE rat hepatoma cell bioassay as a tool for assessing toxic potency of planar halogenated hydrocarbons in environmental samples. *Environmental Science & Technology*. 25:87–92.

- Tillitt, D. E., G. T. Ankley, D. A. Verbrugge, J. P. Giesy, J. P. Ludwig, and T. J. Kubiak, 1991b. H4IIE rat hepatoma cell bioassay-derived 2,3,7,8-tetrachlorodibenzo-p-dioxin equivalents in colonial fish-eating waterbird eggs from the Great Lakes. *Archives of Environmental Contamination and Toxicology*. 21(1):91–101.
- Tillitt, D. E., G. T. Ankley, and J. P. Giesy, 1992. Polychlorinated biphenyl residues and egg mortality in double-crested cormorants from the Great Lakes. *Environmental Toxicology and Chemistry*. 11:1281–1288.
- Tillitt, D. E., R. W. Gale, J. C. Meadows, J. L. Zajicek, P. H. Peterman, S. N. Heaton, P. D. Jones, S. J. Bursian, T. J. Kubiak, J. P. Giesy, and R. J. Aulerich, 1996. Dietary exposure of mink to carp from Saginaw Bay: 3. Characterization of dietary exposure to planar halogenated hydrocarbons, dioxin equivalents, and biomagnification. *Environmental Science & Technology*. 30(1):283–291.
- Tomatis, L., V. Turusov, R. T. Charles, and M. Boicchi, 1974. Effect of long-term exposure to 1,1-dichloro-2,2-bis(p-chlorophenyl)-ethylene, to 1,1-dichloro-2,2-bis(p-chlorophenyl)-ethane, and to the two chemicals combined on CF-1 mice. *Journal of the National Cancer Institute*. 52(3):883–891.
- Toneys, M., 1999. Personal communication from Wisconsin Department of Natural Resources regarding the fish of the east shores of Green Bay. December 16.
- Tori, G. M. and T. J. Peterle, 1983. Effects of PCBs on mourning dove courtship behavior. *Bulletin of Environmental Contamination and Toxicology*. 30:44–49.
- Tremblay, J. and L. N. Ellison, 1980. Breeding success of the black-crowned night heron in the St. Lawrence estuary. *Canadian Journal of Zoology*. 58:1259–1263.
- Treon, J. F. and F. P. Cleveland, 1955. Toxicity of certain chlorinated hydrocarbon insecticides for laboratory animals, with special reference to aldrin and dieldrin. *J. Agric. Food Chem.* 3:402–408.
- Tryphonas, H., 1995. Immunotoxicity of PCBs (Aroclors) in relation to Great Lakes. *Environmental Health Perspectives*. 103(Supplement 9):35–46.

- Tryphonas, H., S. Hayward, L. O'Grady, J. C. K. Loo, D. L. Arnold, F. Bryce, and Z. Z. Zawidzka, 1989. Immunotoxicity studies of PCB (Aroclor 1254) in the adult rhesus (*Macaca mulatta*) monkey: Preliminary report. *Int. J. Immunopharmacol.* 11:199–206.
- Tryphonas, H., M. I. Luster, G. Schiffman, L. L. Dawson, M. Hodgen, D. Germolec, S. Hayward, F. Bryce, J. C. K. Loo, F. Mandy, and D. L. Arnold, 1991a. Effect of chronic exposure of PCB (Aroclor 1254) on specific and nonspecific immune parameters in the rhesus (*Macaca mulatta*) monkey. *Fundamental and Applied Toxicology.* 16(4):773–786.
- Tryphonas, H., M. I. Luster, K. L. White, P. H. Naylor, M. R. Erdos, G. R. Burleson, D. Germolec, M. Hodgen, S. Hayward, and D. L. Arnold, 1991b. Effects of PCB (Aroclor 1254) on non-specific immune parameters in rhesus (*Macaca mulatta*) monkeys. *Int. J. Immunopharmacol.* 13(6):639–648.
- Tseng, W. P., 1977. Effects and dose-response relationships of skin cancer and Blackfoot disease with arsenic. *Environmental Health Perspectives.* 19:109–119.
- Ulfstrand, S. and A. Södergren, 1971. Effect of PCB on nocturnal activity in caged robins, *Erithacus rubecula* L. *Nature.* 231:467.
- Urban, T. P. and S. B. Brandt, 1993. Food and habitat partitioning between young-of-year alewives and rainbow smelt in southeastern Lake Ontario. *Environmental Biology of Fishes.* 36:359–372.
- USACE, 1996. International Great Lakes Datum 1985. United States Army Corps of Engineers. Website:
<http://lre.usace.army.mil/IGLD.1985/igldhmpg.html>.
- USFWS, 1979. *Classification of Wetlands and Deepwater Habitats of the United States*. Publication FWS/OBS-79/31. United States Department of the Interior, Fish and Wildlife Service.
- USFWS, 1981. *Fish and Wildlife Resources of the Great Lakes Coastal Wetlands within the United States, Volume 5: Lake Michigan, Parts 2 and 3*. Publication FWS/OBS-81/02-V5. United States Department of the Interior, Fish and Wildlife Service.
- USFWS, 1982. *Habitat Suitability Index Models: Common Carp*. Publication FWS/OBS-82/10.12. United States Department of the Interior, Fish and Wildlife Service.

- USFWS, 1983a. *Habitat Suitability Information: Common Shiner*. Publication FWS/OBS-82/10.40. United States Department of the Interior, Fish and Wildlife Service, Orono, Maine and Fort Collins, Colorado. September.
- USFWS, 1983b. *Habitat Suitability Information: Yellow Perch*. Publication FWS/OBS-82/10.55. United States Department of the Interior, Fish and Wildlife Service.
- USFWS, 1984. *Habitat Suitability Information: Walleye*. Publication FWS/OBS-82/10.56. United States Department of the Interior, Fish and Wildlife Service.
- USFWS, 1985. *Habitat Suitability Index Models and Instream Flow Suitability Curves: Gizzard Shad*. Biological Report 82 (10.112). United States Department of the Interior, Fish and Wildlife Service.
- USFWS, 1986. *Habitat Suitability Index Models: Mink*. Biological Report 82(10.127). United States Department of the Interior, Fish and Wildlife Service.
- USFWS, 1995. *Biological Opinion on the Effects of the Great Lakes Water Quality Guidance on Endangered Species*. Opinion submitted pursuant to Section 7 of the Endangered Species Act to the United States Environmental Protection Agency. Ecological Services Chicago Field Office, United States Fish and Wildlife Service, United States Department of the Interior. February 21.
- USGS, 1998a. Water Resources Information: Fox River at Appleton, Wisconsin. United States Geological Survey. Website: <http://waterdata.usgs.gov/nwis-w/wi/?statnum=04084445>.
- USGS, 1998b. Water Resources Information: Fox River at State Highway 55 at Kaukauna, Wisconsin. United States Geological Survey. Website: <http://waterdata.usgs.gov/nwis-w/wi/?statnum=04084475>.
- USGS, 1998c. Water Resources Information: Fox River at Rapide Croche Dam-Wrightstown, Wisconsin. United States Geological Survey. Website: <http://waterdata.usgs.gov/nwis-w/wi/?statnum=04084500>.
- USGS, 1998d. Water Resources Information: Fox River at Little Rapids, Wisconsin. United States Geological Survey. Website: <http://waterdata.usgs.gov/nwis-w/wi/?statnum=04085054>.

- USGS, 1998e. Water Resources Information: Fox River at De Pere, Wisconsin. United States Geological Survey. Website: <http://waterdata.usgs.gov/nwis-w/wi/?statnum=04085059>.
- USGS, 1998f. Water Resources Information: Fox River at Oil Tank Depot, Green Bay, Wisconsin. United States Geological Survey. Website: <http://waterdata.usgs.gov/nwis-w/wi/?statnum=040851385>.
- UWSGI, 1994. Zebra Mussel Update: Summer Sightings. University of Wisconsin, Sea Grant Institute. Website: <http://www.seagrant.wisc.edu/publications/ZMU/archive/00000119.html>.
- UWSGI, 1996. Zebra Mussel Update: Zebra Mussels in Lake Winnebago? University of Wisconsin, Sea Grant Institute. Website: <http://www.seagrant.wisc.edu/publications/ZMU/archive/00000062.html>.
- UWSGI, 2000. Fish of the Great Lakes: Alewife; Carp; Rainbow Smelt; Walleye; Yellow Perch. University of Wisconsin, Sea Grant Institute. Website: <http://h2o.seagrant.wisc.edu/Communications/Publications/Fish/>.
- Vallee, B. L., D. D. Ulmer, and W. E. C. Wacker, 1960. Arsenic toxicology and chemistry. *Archives of Industrial Health*. 21:132–151.
- Van den Berg, M., L. Birnbaum, A. T. C. Bosveld, B. Brunstrom, P. Cook, M. Feeley, J. P. Giesy, A. Hanberg, R. Hasegawa, S. W. Kennedy, T. Kubiak, J. C. Larsen, F. X. van Leeuwen, A. K. Liem, C. Nolt, R. E. Peterson, L. Poellinger, S. Safe, D. Schrenk, D. Tillitt, M. Tysklind, M. Younes, F. Waern, and T. Zacharewski, 1998. Toxic equivalency factors (TEFs) for PCBs, PCDDs, PCDFs for humans and wildlife. *Environmental Health Perspectives*. 106(12):775–792.
- Van Raalte, H. G. S., 1977. Human experience with dieldrin in perspective. *Ecotoxicology and Environmental Safety*. 1:203–210.
- Vartiainen, T., J. J. K. Jaakkola, S. Saarikoski, and J. Tuomisto, 1998. Birth weight and sex of children and the correlation to the body burden of PCDDs/PCDFs and PCBs of the mother. *Environmental Health Perspectives*. 106(2):61–66.

- Veith, G. D., D. W. Kuehl, E. N. Leonard, F. A. Puglisi, and A. E. Lemke, 1979. Polychlorinated biphenyls and other organic chemical residues in fish from major watersheds of the United States, 1976. *Pesticides Monitoring Journal*. 13(1):1–11.
- Velleux, M. and D. Endicott, 1994. Development of a mass balance model for estimating PCB export from the Lower Fox River to Green Bay. *Journal of Great Lakes Research*. 20(2):416–434.
- Virgo, B. B. and G. D. Bellward, 1975. Effects of dietary dieldrin on reproduction in the Swiss-Vancouver (SWV) mouse. *Environ. Physiol. Biochem.* 5:440–450.
- Walker, A. I. T., D. E. Stevenson, J. Robinson, E. Thorpe, and M. Roberts, 1969. The toxicology and pharmacodynamics of dieldrin (HEOD): Two year oral exposures of rats and dogs. *Toxicology and Applied Pharmacology*. 15:345–373.
- Walker, A. I. T., E. Thorp, and D. E. Stevenson, 1972. The toxicology of dieldrin (HEOD*): I. Long-term oral toxicity studies in mice. *Food Cosmet. Toxicol.* 11:415–432.
- Walker, M. K., J. Lawrence C. Hufnagle, M. K. Clayton, and R. E. Peterson, 1991a. An egg injection method for assessing early life stage mortality of polychlorinated dibenzo-p-dioxins, dibenzofurans, and biphenyls in rainbow trout, (*Oncorhynchus mykiss*). *Aquatic Toxicology*. 2:15–38.
- Walker, M. K., J. M. Spitsbergen, J. R. Olson, and R. E. Peterson, 1991b. 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) toxicity during early life stage development of lake trout (*Salvelinus namaycush*). *Canadian Journal of Fisheries and Aquatic Sciences*. 48:875–883.
- Walker, M. K., P. M. Cook, B. C. Butterworth, E. W. Zabel, and R. E. Peterson, 1996. Potency of a complex mixture of polychlorinated dibenzo-p-dioxin, dibenzofuran, and biphenyl congeners compared to 2,3,7,8-tetrachlorodibenzo-p-dioxin in causing fish early life stage mortality. *Fundamental and Applied Toxicology*. 30(2):178–86.
- Walker, M. K. and R. E. Peterson, 1991. Potencies of polychlorinated dibenzo-p-dioxin, dibenzofuran, and biphenyl congeners, relative to 2,3,7,8-tetrachlorodibenzo-p-dioxin, for producing early life stage mortality in rainbow trout (*Oncorhynchus mykiss*). *Aquatic Toxicology*. 21:219–238.

- Walker, M. K. and R. E. Peterson, 1994. Toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin to brook trout (*Salvelinus fontinalis*) during early development. *Environmental Toxicology and Chemistry*. 13(5):817–820.
- Ward, J. M., 1985. Proliferative lesions of the glandular stomach and liver in F344 rats fed diets containing Aroclor 1254. *Environmental Health Perspectives*. 60:89–95.
- Warren-Hicks, W. J. and D. R. J. Moore, 1998. Uncertainty analysis in ecological risk assessment. In: *Proceedings of the Pellston Workshop on Uncertainty Analysis in Ecological Risk Assessment, August 23–28, 1995, Pellston, Michigan*. SETAC Special Publications Series.
- WDH/WDNR, 1998. *Important Health Information for People Eating Fish from Wisconsin Waters*. Pub No FH824 98Rev. Wisconsin Division of Health and Wisconsin Department of Natural Resources.
- WDNR, 1970. *Reproduction and Early Life History of the Walleye in the Lake Winnebago Region*. Technical Bulletin 45. Wisconsin Department of Natural Resources, Madison, Wisconsin.
- WDNR, 1992. *Guidance for Assessing Ecological Impacts and Threats from Contaminated Sediments*. PUBL-WR-321-93. Wisconsin Department of Natural Resources. October.
- WDNR, 1993. *The Lower Green Bay Remedial Action Plan 1993 Update for the Lower Green Bay and Fox River Area of Concern*. Wisconsin Department of Natural Resources, Bureau of Water Resources, Madison, Wisconsin.
- WDNR, 1995. *A Deterministic PCB Transport Model for the Lower Fox River Between Lake Winnebago and De Pere, Wisconsin*. Publication PUBL-WR-389-95. Wisconsin Department of Natural Resources, Water Resources, Madison, Wisconsin.
- WDNR, 1996a. *Integrated Sediment Quality Assessment for the Lower Fox River/Lower Green Bay Area of Concern: 1996 Triad Assessment and Other Considerations Made for the Sediment Quality in the Lower Fox River, Green Bay, Wisconsin*. Wisconsin Department of Natural Resources, Green Bay, Wisconsin.

- WDNR, 1996b. *Lower Fox River System Sediment Characterization - Sediment Quality Triad Assessment and Application of Sediment Quality Guidelines*. Wisconsin Department of Natural Resources, Sediment Management and Remedial Techniques Team, Madison, Wisconsin. February.
- WDNR, 1997. *Nonpoint Source Control Plan for Duck, Apple, and Ashwaubenon Creeks Priority Watershed Project*. Publication WT-493-97. Wisconsin Department of Natural Resources.
- WDNR, 1998a. *Assessment of PCBs in Sediment of the Lower Fox River from De Pere Dam to Green Bay*. PUBL-WT-519-98. Wisconsin Department of Natural Resources, Bureau of Watershed Management, Madison, Wisconsin.
- WDNR, 1998b. *Model Evaluation Workgroup Technical Memorandum 1: Model Evaluation Metrics*. Prepared by Limno-Tech, Inc. Prepared for Fox River Group of Companies and Wisconsin Department of Natural Resources. March 13.
- WDNR, 1998c. *Fox River and Green Bay PCB Fate and Transport Model Evaluation Technical Memorandum 2b: Computation of Watershed Solids and PCB Load Estimates for Green Bay*. Prepared by LTI Environmental Engineering, a Division of Limno-Tech, Inc. Prepared for Wisconsin Department of Natural Resources. January 6.
- WDNR, 1999a. *Lower Fox River and Green Bay PCB Fate and Transport Model Evaluation Technical Memorandum 2d: Compilation and Estimation of Historical Discharges of Total Suspended Solids and Polychlorinated Biphenyls from Lower Fox River Point Sources*. Wisconsin Department of Natural Resources. February 23 (revision date).
- WDNR, 1999b. Wisconsin Wildlife Surveys, August 1999. Compiled by Brian Dhuey, Bureau of Integrated Science Services, Monona, Wisconsin.
- WDNR, 1999c. *Model Evaluation Workgroup Technical Memorandum 2e: Estimation of Lower Fox River Sediment Bed Properties*. Wisconsin Department of Natural Resources. March 31.
- WDNR, 1999d. Statistics on numbers of fishing licenses in Wisconsin by county. Provided by David Webb of Wisconsin Department of Natural Resources.

- WDNR, 2000a. Summary and Maps of the Green Bay West Shores Wildlife Area, Gardner Swamp Area, and Red Bank Glades State Natural Area. Letter from Terrence L. Gardon, Wisconsin Department of Natural Resources Real Estate Specialist - Lakeshore/Lower Fox Basin, to Eric P. Kovatch, Natural Resource Technology, Inc. January 28.
- WDNR, 2000b. *Model Evaluation Workgroup Technical Memorandum 2f: Estimation of Sediment Bed Properties for Green Bay*. Wisconsin Department of Natural Resources. December 15.
- WDNR, 2000c. *Technical Memorandum 2e - Estimation of Sediment Bed Properties for the Lower Fox River: Addendum (4 Reach Effort)*. Prepared by Wisconsin Department of Natural Resources. October 26.
- WDNR, 2001. *Technical Memorandum 7c: Recommended Approach for a Food Web/Bioaccumulation Assessment of the Lower Fox River/Green Bay Ecosystem*. Prepared by Wisconsin Department of Natural Resources. January.
- Weaver, M. J., J. J. Magnuson, and M. K. Clayton, 1997. Distribution of littoral fishes in structurally complex macrophytes. *Canadian Journal of Fisheries and Aquatic Sciences*. 54:2277–2289.
- Weber, J. J. and K. J. Otis, 1984. *Life History of Carp in the Lake Winnebago System, Wisconsin 131*. Department of Natural Resources Research, Madison, Wisconsin. December.
- Weis, P. and J. S. Weis, 1991. The developmental toxicity of metals and metalloids in fish. In: *Metal Ecotoxicology: Concepts & Application*. M. C. Newman and A. W. McIntosh (Eds.) Lewis Publishers, Boca Raton, Florida. p. 399.
- Weisglas-Kuperus, N., T. C. J. Sas, C. Koopman-Esseboom *et al.*, 1995. Immunologic effects of background prenatal and post-natal exposure to dioxins and polychlorinated biphenyls in Dutch infants. *Pediatric Research*. 38:404–410.
- Weisglas-Kuperus, N., S. Patandin, G. A. M. Berbers, T. C. J. Sas, P. G. H. Mulder, P. J. J. Sauer, and H. Hooijkaas, 2000. Immunologic effects of background exposure to polychlorinated biphenyls and dioxins in Dutch preschool children. *Environmental Health Perspectives*. 108(12):1203–1207.

- Wells, L. and S. C. Jorgenson, 1983. *Population Biology of Yellow Perch in Southern Lake Michigan, 1971–79*. Technical Papers of the United States Fish and Wildlife Service. I49.68:109:19.
- Weseloh, D. V., P. J. Ewins, C. A. Bishop, J. Struger, and P. Mineau, 1994. Double-crested cormorants (*Phalacrocorax auritus*) of the Great Lakes: Changes in population size, breeding distribution and reproductive output, 1913–1991. In: *The Double-crested Cormorant: Biology, Conservation and Management, Vol. 18: Colonial Waterbirds (Special Publication)*. D. N. Nettleship and D. C. Duffy (Eds.) p. 48–59.
- West, P. C., M. J. Fly, R. Marans, and F. Larkin, 1989. *Michigan Sport Anglers Fish Consumption Survey*. Technical Report #1. Prepared for Michigan Toxic Substance Control Commission. Natural Resources Sociology Research Lab.
- West, P. C., J. M. Fly, R. Marans, F. Larkin, and D. Rosenblatt, 1993. *1991–1992 Michigan Sport Anglers Fish Consumption Study*. Technical Report #6. Prepared by University of Michigan, School of Natural Resources for Michigan Department of Natural Resources, Ann Arbor, Michigan. University of Michigan. May.
- West, C. W., T. Ankley, J. W. Nichols, G. E. Elonen, and D. E. Nessa, 1997. Toxicity and bioaccumulation of 2,3,7,8-tetrachlorodibenzo-p-dioxin in long term tests with the freshwater benthic invertebrates *Chironomus tentans* and *Lumbriculus variegatus*. *Environmental Toxicology and Chemistry*. 16(6):1287–1294.
- Wester, R. C., D. A. W. Bucks, H. I. Maibach, and J. Anderson, 1983. Polychlorinated biphenyls (PCBs): Dermal absorption, systemic elimination, and dermal wash efficiency. *Journal of Toxicology and Environmental Health*. 12:511–519.
- Wester, R. C., M. Mobayen, and H. I. Maibach, 1987. In vivo and in vitro absorption and binding to powdered stratum corneum as methods to evaluate skin absorption of environmental chemical contaminants from ground and surface water. *Journal of Toxicology and Environmental Health*. 21:367–374.
- Wester, R. C., H. I. Maibach, D. A. W. Bucks, J. McMaster, and M. Mobayen, 1990. Percutaneous absorption and skin decontamination of PCBs: In vitro studies with human skin and in vivo studies in the rhesus monkey. *Journal of Toxicology and Environmental Health*. 31:235–246.

- Wester, R. C., H. I. Maibach, L. Sedik, J. Melendres, and M. Wade, 1993. Percutaneous absorption of PCBs from soil: In vivo rhesus monkey, in vitro human skin, and binding to powdered human stratum corneum. *Journal of Toxicology and Environmental Health*. 39:375–382.
- WHO, 1993. *Polychlorinated Biphenyls and Terphenyls (Second Edition)*. Environmental Health Criteria 140. World Health Organization, Geneva, Switzerland.
- WHO, 1997. *Meeting on the Derivation of Toxic Equivalency Factors (TEFs) for PCBs, PCDDs, PCDFs, and Other Dioxin-like Compounds for Humans and Wildlife*. Draft Report. World Health Organization, Stockholm, Sweden. July 30.
- Wiemeyer, S. M. (Ed.), 1990. 3.2 organochlorines and mercury residues in bald eagle eggs 1968–1984: Trends and relationships to productivity and shell thickness. *Proceedings of the Expert Consultation Meeting on Bald Eagles (Chapter 3.0 Factors Affecting Populations and Rehabilitation Programs)*. International Joint Commission, Great Lakes Regional Office, Windsor, Ontario.
- Wiemeyer, S. N., T. G. Lamont, C. M. Bunck, C. R. Sindelar, F. J. Gramlich, J. D. Fraser, and M. A. Byrd, 1984. Organochlorine pesticide, polychlorobiphenyl, and mercury residues in bald eagle eggs - 1969–79 - and their relationships to shell thinning and reproduction. *Archives of Environmental Contamination and Toxicology*. 13:529–549.
- Wiemeyer, S. N., R. D. Porter, G. L. Hensler, and J. R. Maestrelli, 1986. *DDE, DDT + Dieldrin: Residues in American Kestrels and Relations to Reproduction*. Fish and Wildlife Technical Report 6. United States Fish and Wildlife Service.
- Wiemeyer, S. N., C. M. Bunck, and C. J. Stafford, 1993. Environmental contaminants in bald eagle eggs 1980–84 and further interpretations of relationships to productivity and shell thickness. *Archives of Environmental Contamination and Toxicology*. 24:213–227.
- Wiener, J. G., W. F. Fitzgerald, C. J. Watras, and R. G. Rada, 1990. Partitioning and bioavailability of mercury in an experimentally acidified Wisconsin lake. *Environmental Toxicology and Chemistry*. 9:909–918.
- Wiener, J. G. and D. J. Spry, 1996. Toxicological significance of mercury in freshwater fish. In: *Environmental Contaminants in Wildlife—Interpreting Tissue Concentrations*. SETAC Special Publications Series. CRC Press, Inc. p. 297–339.

- Williams, L. L., J. P. Giesy, D. A. Verbrugge, S. Jurzysta, G. Heinz, and K. Stromborg, 1995a. Polychlorinated biphenyls and 2,3,7,8-tetrachlorodibenzo-p-dioxin equivalents in eggs of red-breasted mergansers near Green Bay, Wisconsin, USA, in 1977–78 and 1990. *Archives of Environmental Contamination and Toxicology*. 29:52–60.
- Williams, L. L., J. P. Giesy, D. A. Verbrugge, S. Jurzysta, and K. Stromborg, 1995b. Polychlorinated biphenyls and 2,3,7,8-tetrachlorodibenzo-p-dioxin equivalents in eggs of double-crested cormorants from a colony near Green Bay, Wisconsin, USA. *Archives of Environmental Contamination and Toxicology*. 29(3):327–333.
- Williams, L. L. and J. P. Giesy, 1992. Relationships among concentrations of individual polychlorinated biphenyl (PCB) congeners, 2,3,7,8-tetrachlorodibenzo-P-dioxin equivalents (TCDD-EQ), and rearing mortality of chinook salmon (*Oncorhynchus tshawytscha*) eggs from Lake Michigan. *Journal of Great Lakes Research*. 18(1):108–124.
- Willingham, E. and D. Crews, 1999. Sex reversal effects of environmentally relevant xenobiotic concentrations on the red-eared slider turtle, a species with temperature-dependent sex determination. *General and Comparative Endocrinology*. 113(3):429–435.
- Winfrey, M. R. and J. W. M. Rudd, 1990. Environmental factors affecting the formation of methylmercury in low pH lakes. *Environmental Toxicology and Chemistry*. 9:853–869.
- Winn, D. S., 1973. *Effects of Sublethal Levels of Dieldrin on Mallard Behavior and Reproduction*. Utah State University, Logan, Utah. As cited in Peakall, D. B., 1996. Chapter 3: Dieldrin and other cyclodiene pesticides in wildlife. In: *Environmental Contaminants in Wildlife*. W. N. Beyer (Ed.) Lewis Publishers, Boca Raton, Florida. p. 73–97.
- WISCLAND/WDNR. Land Use Maps. Wisconsin Initiative for State-wide Cooperation on Landscape Analysis and Data. Website: <http://www.geography.wisc.edu/sco/wiscland/wiscland.html>.
- Wixson, B. G. and B. E. Davies, 1993. *Lead in Soil*. Lead in Soil Task Force, Science Reviews, Northwood.

- Wobeser, G., N. O. Nielsen, and B. Schiefer, 1976a. Mercury and mink: I. The use of mercury contaminated fish as a food for ranch mink. *Canadian Journal of Comparative Medicine*. 40(1):30–33.
- Wobeser, G., N. O. Nielsen, and B. Schiefer, 1976b. Mercury and mink: II. Experimental methyl mercury intoxication. *Canadian Journal of Comparative Medicine*. 40(1):34–45.
- Wolfert, D. R. and M. T. Bur, 1992. *Selection of Prey by Walleye in the Ohio Waters of the Central Basin of Lake Erie, 1985–1987*. Resource Publication 182. United States Fish and Wildlife Service.
- Woodford, J. E., W. H. Karasov, M. W. Meyer, and L. Chambers, 1998. Impact of 2,3,7,8-TCDD exposure on survival, growth, and behavior of ospreys breeding in Wisconsin, USA. *Environmental Toxicology and Chemistry*. 17(7):1323–1331.
- Wren, C. D., 1991. Cause-effect linkages between chemicals and populations of mink (*Mustela vison*) and otter (*Lutra canadensis*) in the Great Lakes Basin. *Journal of Toxicology and Environmental Health*. 33(4):549–585.
- Wren, C. D., D. B. Hunter, J. F. Leatherland, and P. M. Stokes, 1987a. The effects of polychlorinated biphenyls and methylmercury, singly and in combination on mink, I: Uptake and toxic responses. *Archives of Environmental Contamination and Toxicology*. 16:441–447.
- Wren, C. D., D. B. Hunter, J. F. Leatherland, and P. M. Stokes, 1987b. The effects of polychlorinated biphenyls and methylmercury, singly and in combination on mink, II: Reproduction and kit development. *Archives of Environmental Contamination and Toxicology*. 16:449–454.
- Yamashita, N., S. Tanabe, J. P. Ludwig, H. Kurita, M. E. Ludwig, and R. Tatsukawa, 1993. Embryonic abnormalities and organochlorine contamination in double-crested cormorants (*Phalacrocorax auritus*) and Caspian terns (*Hydroprogne caspia*) from the Upper Great Lakes in 1988. *Environmental Pollution*. 79(2):163–171.
- Zabel, E. W., 1995. Potency of 3,3',4,4',5-pentachlorobiphenyl (PCB 126), alone and in combination with 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD), to produce lake trout early life-stage mortality. *Environmental Toxicology and Chemistry*. 14(12):2175–2179.

- Zabel, E. W., P. M. Cook, and R. E. Peterson, 1995. Toxic equivalency factors of polychlorinated dibenzo-p-dioxin, dibenzofuran and biphenyl congeners based on early life stage mortality in rainbow trout (*Oncorhynchus mykiss*). *Aquatic Toxicology (Amsterdam)*. 31(4):315–328.
- Zabik, M. E., C. Merrill, and M. J. Zabik, 1982. PCBs and other xenobiotics in raw and cooked carp. *Bulletin of Environmental Contamination and Toxicology*. 28:710–715.
- Zabik, M. E., M. J. Zabik, and H. Humphrey, 1993. *Assessment of Contaminants in Five Species of Great Lake Fish at the Dinner Table*. Pesticide Research Center and Department of Entomology, Michigan State University.
- Zaranko, D. T., R. W. Griffiths, and N. K. Kaushik, 1997. Biomagnification of polychlorinated biphenyls through a riverine food web. *Environmental Toxicology and Chemistry*. 16(7):1463–1471.